ANNUAL INDEX

References to Technical Papers and Technical Articles Published in Journal of Petroleum Technology and Technical Papers Published in Society of Petroleum Engineer Journal during 1964

A

ABERNATHY, B. F.: *Waterflood Prediction Methods Compared to Pilot Performance in Carbonate Reservoirs*, (Tech. Art.) JPT Mar., 276

ABRASIVE JETTING: hydraulic: chip removal by, SPEJ Mar., 21

ACCREDITATION: and engineering education, (Tech. Art.) JPT Mar., 265

ACOUSTIC AMPLITUDE LOG: results in various representative areas, (Tech. Art.) JPT Nov., 1243
using for location of fractures, (Tech. Art.) JPT June, 623

ACOUSTIC VELOCITY LOGGING: effects of pressure and fluid saturation on attenuation of elastic waves in sands, JPT Feb., 189

ACT: meter factor variations and factors affecting accuracy of positive displacement meters, (Tech. Art.) JPT Aug., 841

ADAIR, T. W., III and SOUTHWICK, S. H.: *Digital Computer Programming for Automatic Analysis of Well Logs*, (Tech. Art.) JPT Jan., 35

ADDITIVES: fluid loss: effect of fracturing fluid velocity on performance, JPT May, 555
hydroxyl factor in shale control, JPT Oct., 1177
use in cementing geothermal steam wells, JPT Dec., 1425

AIME: actions of the board, (Tech. Art.) JPT Aug., 891 (Tech. Art.) JPT Nov., 1261
new institute programs provide improved services to members, (Tech. Art.) JPT June, 659
program for improving technical competence of SPE members, (Tech. Art.) JPT Dec., 1337
SPE: committee proposes revised symbols list to membership, (Tech. Art.) JPT June, 649
symbols committee defines relationship between density and specific weight, (Tech. Art.) JPT June, 657
Society section attacks continuing education problem, (Tech. Art.) JPT Oct., 1137

ALCOHOL FLOODING: mathematical theory for displacement of oil and water, SPEJ Sept., 250
slug process: investigation of miscible displacements of aqueous and oleic phases from porous media, SPEJ March, 37

ALFORD, J. B.: *Visit to Libya, Saudi Arabia and Europe*, (Tech. Art.) JPT May, 527

ALGER, R. P., et al: *The Dual Spacing Formation Density Log*, JPT Dec., 1411

ANDERSON, R. C. and GOOLSBY, J. L.: *Pilot Water Flooding in a Dolomite Reservoir, The McElroy Field*, (Tech. Art.) JPT Dec., 1345

ANDERSON, J. C. and MCMILLON, L. M.: *An Automatic Gas-Flow Control System Adaptable to Gas Field Production*, (Tech. Art.) JPT Mar., 253

ANDERSON, W. L. and RIDDLE, G. A.: *Acoustic Amplitude Ratio Logging*, (Tech. Art.) JPT Nov., 1243

ANETH FIELD: *See* Utah

ANISOTROPIC RESERVOIRS: directional permeability of heterogeneous porous media, SPEJ June, 124; discussion, SPEJ Dec., 363

API: standards for cementing geothermal steam wells, JPT Dec., 1425

AQUIFERS: determination of influence functions from field data, JPT Dec., 1417
linear: behavior of, JPT May, 561
rapid methods for estimating reservoir compressibilities, JPT Apr., 447

AREAL SWEEP EFFICIENCY: behavior in a nine-spot injection pattern, JPT Feb., 199

ARKFELD, T. E., et al: *Using Compressional and Shear Acoustic Amplitudes for The Location of Fractures*, (Tech. Art.) JPT June, 623

ARPS, J. J. and ARPS, J. L.: *The Subsurface Telemetry Problem—A Practical Solution*, (Tech. Art.) JPT May, 487

ARPS, J. L. and ARPS, J. J.: *The Subsurface Telemetry Problem—A Practical Solution*, (Tech. Art.) JPT May, 487

ATWOOD, D. K.: *Restoration of Permeability to Water-Damaged Cores*, JPT Dec., 1405

AUSTIN, C. F. and PRINGLE, J. K.: *Detailed Response of Some Rock Targets to Jets from Lined-Cavity Shaped Charges*, (Tech. Art.) JPT Jan., 41

AUTOMATION: consolidation and LACT in the SACROC unit, (Tech. Art.) JPT July, 751
gas wells, (Tech. Art.) JPT Aug., 873
gas-flow control system adaptable to gas field production, (Tech. Art.) JPT Mar., 253
instrumentation for simplified commingling and well-testing operations, (Tech. Art.) JPT July, 732
remote stations, (Tech. Art.) JPT July, 757
several Big Horn Basin fields monitored from one point, (Tech. Art.) JPT Sept., 983

B

BACTERIA: effect on sandstone permeability, JPT July, 805

BARBER, T. D. and HALBOUTY, M. T.: *The Responsibility of Geologists and Petroleum Engineers in Meeting Exploration Demands in the Future*, (Tech. Art.) JPT Mar., 239

BARHAM, R. H. and NABOR, G. W.: *Linear Aquifer Behavior*, JPT May, 561

BASTIAN BAY FIELD: *See* Louisiana

BAUMGARTNER, A. W.: *Practical Engineering of Corrosion Control*, (Tech. Art.) JPT June, 615

BEAVER, K. W. and RAUSCH, R. W.: *Case History of Successfully Water Flooding a Fractured Sandstone*, (Tech. Art.) JPT Nov., 1233

BECK, R. W.: *Using Model Basin Tests to Predict Motion Characteristics of Floating Rigs*, (Tech. Art.) JPT Dec., 1361

BENNETT, E. O., et al: *The Effect of Bacteria on Sandstone Permeability*, JPT July, 805

BERCEGEAY, E. P.: *USL Students Undertake Outstanding Engineering Project*, (Tech. Art.) JPT Feb., 169

BERGAN, R. A., et al: *Neutron Lifetime, a New Nuclear Log*, JPT Mar., 319

BERNARD, G. G. and HOLM, L. W.: *Effect of Foam on Permeability of Porous Media to Gas*, SPEJ Sept., 267

BIG HORN BASIN: *See* Wyoming

BISTI UNIT: *See* New Mexico

BITS: chip removal by hydraulic jet, SPEJ Mar., 21
crossflow and impact under jetting, JPT Nov., 1299
full-scale experiments on jets in impermeable rock drilling, JPT Mar., 329

BLAIR, P. M.: *Calculation of Oil Displacement by Countercurrent Water Imbibition*, SPEJ Sept., 195

BLOCK 31 FIELD: *See* Texas

BOATMAN, E. M., et al: *Prediction of Relative Permeability Characteristics of Intergranular Reservoir Rocks from Electrical Resistivity Measurements*, JPT May, 564

BOHOR, B. F., et al: *Increasing Injectivity of Shaly Sands with Chemicals*, (Tech. Art.) JPT Oct., 1107

BOLEY, D. W., et al: *Aids to Forecasting the Performance of*

Water Floods, JPT Sept., 1076
BOREHOLES: formed by lined-cavity shaped charge penetration, (Tech. Art.) JPT Jan., 41
BOUNDARY CONDITIONS: influence of surface features in salt dissolution process, SPEJ Sept., 275
BOUNDED RESERVOIR: approximate method for non-Darcy radial gas flow, SPEJ June, 96
BRACKBILL, R. M. and GAINES, J. C.: *El Capitan Source Water System*, (Tech. Art.) JPT Dec., 1351
BRAY, B. G., et al: *Calculating Viscosities of Reservoir Fluids from Their Compositions*, JPT Oct., 1171
Effects of Nuclear Explosions on Oil Reservoir Stimulation, (Tech. Art.) JPT May, 473
BRICE, J. W., Jr. and HOLMES, B. C.: *Engineered Casing Cementing Programs Using Turbulent Flow Techniques*, (Tech. Art.) JPT May, 503
BRIGHAM, W. E. and GERNERT, J. M.: *Meadow Creek Unit Lakota "B" Combination Water-Miscible Flood*, (Tech. Art.) JPT Sept., 993
BRINKLEY, T. W., et al: *Bisti—Solvent Production During Three Years of Unit Operations*, (Tech. Art.) JPT May, 515
BRINKLEY, T. W. and DEAN, M. R.: *Measuring Solvent Production in Miscible Phase Oil Recovery Operations*, (Tech. Art.) JPT May, 519
BRONS, F. and SILBERGH, M.: *The Relation of Earning Power to Other Profitability Criteria*, (Tech. Art.) JPT Mar., 269
BROWN, K. E. and HAGEDORN, A. R.: *The Effect of Liquid Viscosity in Two-Phase Vertical Flow*, JPT Feb., 203
BROWNING, W. C.: *The Hydroxyl Factor in Shale Control*, JPT Oct., 1177
BUCKLEY-LEVERETT THEORY: calculation for carbonated water flooding, SPEJ Mar., 9; discussion, 18
instability in water flooding oil from water-wet porous media containing connate water, SPEJ June, 133
use in applying frontal advance equation to vertical segregation reservoirs, JPT Jan., 87
BUDGET: for engineers: time and effort, (Tech. Art.) JPT Aug., 859

C

CALIFORNIA: decline and forecast studies based on performances of selected oil fields, (Tech. Art.) JPT Sept., 959
Newhall-Potrero field: implosive shock treatment of injection wells, (Tech. Art.) JPT Feb., 128
San Joaquin Valley: calculation method for carbonated water flooding, SPEJ Mar., 9; discussion, 18
field results of electromagnetic casing inspection log, (Tech. Art.) JPT Apr., 377
water flood yields profitable recovery of heavy oil from multilayered reservoir, (Tech. Art.) JPT May, 509
Wilmington field: implosive shock treatment of injection wells, (Tech. Art.) JPT Feb., 128
CAMPBELL, J. M.: *Operation Manpower—Recruiting and Training Gifted Students*, (Tech. Art.) JPT Nov., 1215
CANADA: Coleville-Smiley field: increasing injectivity of shaly sands with chemicals, (Tech. Art.) JPT, Oct., 1107
Joffre field: field results of electromagnetic casing inspection log, (Tech. Art.) JPT April, 377
North Pembina Cardium Unit No. 1: pressure maintenance by fluid injection, (Tech. Art.) JPT Sept., 977
Pembina Cardium field: significance of partial pressure maintenance by fluid injection, (Tech. Art.) JPT Jan., 20
Virginia Hills reservoir: application of material balance as equation of straight line, JPT July, 815
CARBON DIOXIDE: field and laboratory results in well stimulation, (Tech. Art.) JPT Mar., 244
use for water injectivity improvement, (Tech. Art.) JPT Jan., 25
water flooding: calculation method for, SPEJ Mar., 9; discussion, 18
CARTER, L. G. and EVANS, G. W.: *A Study of Cement-Pipe Bonding*, (Tech. Art.) JPT Feb., 157
CASING: behavior when subjected to salt loading, JPT Sept., 1069
cementing programs using turbulent flow techniques, (Tech. Art.) JPT May, 503
electromagnetic inspection log, field results, (Tech. Art.) JPT April, 377
patch: field results of stressed steel liner, (Tech. Art.) JPT Feb., 147
CAUDLE, B. H., et al: *Areal Sweepout Behavior in a Nine-Spot Injection Pattern*, JPT Feb., 199
Model Studies of the Inverted Nine-Spot Injection Pattern, JPT July, 801
CEDAR CREEK ANTICLINE: *See* Montana
CEMENT: pipe bonding: an evaluation, (Tech. Art.) JPT Feb., 157
CEMENT-BOND LOGGING: progress report, (Tech. Art.) JPT Oct., 1117
CEMENTING: engineered casing programs using turbulent flow techniques, (Tech. Art.) JPT May, 503
geothermal steam wells, JPT Dec., 1425
CENTRAL BISTI UNIT: *See* New Mexico
CHAKRAVORTY, S. K., et al: *Increasing Injectivity of Shaly Sands With Chemicals*, (Tech. Art.) JPT Oct., 1107
CHEATHAM, J. B., Jr., and MCEVER, J. W.: *Behavior of Casing Subjected to Salt Loading*, JPT Sept., 1069
CHEATHAM, J. B., Jr. and YARBOROUGH, J. G.: *Chip Removal by a Hydraulic Jet*, SPEJ Mar., 21
CHESTER FORMATION: *See* Oklahoma
CHIERICI, G. L., et al: *A Systematic Study of Gas and Water Coning by Potentiometric Models*, JPT Aug., 923
CHROMATOGRAPHY: transport in hexylamine: effect on displacement of oil by water in porous media, SPEJ Sept., 231
rapid analysis of condensate systems, JPT Apr., 435
CHU, C.: *The Vaporization-Condensation Phenomenon in a Linear Heat Wave*, SPEJ June, 85
CIUCCI, G. M., et al: *A Systematic Study of Gas and Water Coning by Potentiometric Models*, JPT Aug., 923
CLARK, C. R., et al: *Calculating Viscosities of Reservoir Fluids From Their Compositions*, JPT Oct., 1171
CLAYS: blocking of permeability: influence of chemical composition of water, JPT April, 441
hydroxyl factor control, JPT Oct., 1177
restoration of permeability to water-damaged cores, JPT Dec., 1405
CLEGG, M. W. and ROWAN, G.: *An Approximate Method for Non-Darcy Radial Gas Flow*, SPEJ June, 96
COATS, K. H., et al: *Determination of Aquifer Influence Functions From Field Data*, JPT Dec., 1417
COATS, K. H. and SMITH, B. D.: *Dead-End Pore Volume and Dispersion in Porous Media*, SPEJ Mar., 73; discussion, Sept., 282
COFFER, H. F., et al: *Effects of Nuclear Explosions on Oil Reservoir Stimulation*, (Tech. Art.) JPT May, 473
COLEVILLE-SMILEY FIELD: *See* Canada
COLLIPP, B. G., et al: *Underwater Drilling and Completion Methods*, (Tech. Art.) JPT June, 595
COLORADO: Uintah basin: field results of electromagnetic casing inspection log, (Tech. Art.) JPT April, 377
COMMUNICATIONS: downhole: practical solution to subsurface telemetry problem, (Tech. Art.) JPT May, 487
COMPLETION PRACTICES: *See also* Well Completion
advancements through 15 years of fracturing, (Tech. Art.) JPT July, 760
offshore operations, (Tech. Art.) JPT June, 595
COMPOSITION: chemical, water: influence on clay blocking of permeability, JPT April, 441
use in calculating viscosities of reservoir fluids, JPT Oct., 1171
COMPRESSIBILITY: reservoir: rapid methods for estimating, JPT April, 447
COMPUTERS: in automating remote stations, (Tech. Art.) JPT July, 757
comparison with approximate method for non-Darcy radial gas flow, SPEJ June, 96
digital: programming for automatic analysis of well logs, (Tech. Art.) JPT Jan., 35
electronic: instrumentation for simplified commingling and well-testing operations, (Tech. Art.) JPT, July, 732
generalized program: aids to forecasting performance of water floods, JPT Sept., 1076
use in decline and forecast studies on performances of selected California oil fields, (Tech. Art.) JPT Sept., 959
use in numerical method for computing dynamical behavior

of fluid-fluid interfaces in permeable media, SPEJ June, 158 and 171

CONDENSATES: integration of partial differential equation for transient linear flow of fluids in porous structures, SPEJ Dec., 291
rapid analysis by chromatography, JPT Apr., 435

CONSERVATION: El Capitan source water system, (Tech. Art.) JPT Dec., 1351

COOK, A. B.: *Discussion on The Pickton Field—Review of a Successful Gas Injection Project*, (Tech. Art.) JPT Apr., 405

COOK, R. L. and MELTON, C. G.: *Water-Lift and Disposal Operations in Low-Pressure Shallow Gas Wells*, (Tech. Art.) JPT June, 619

COOPER, H. E., JR., et al: *Areal Sweepout Behavior in a Nine-Spot Injection Pattern*, JPT Feb. 199

CORES: water damaged: restoration of permeability, JPT Dec. 1405

CORRELATIONS: between immobile non-wetting phase and saturation of wetting phase, SPEJ Mar., 49
viscosity of light paraffin hydrocarbons and their mixtures in liquid and gaseous regions, JPT June, 679

CORROSION: casing: field results of electromagnetic inspection log, (Tech. Art.) JPT Apr., 377
practical engineering of controls, (Tech. Art.) JPT June, 615

CORSICA UNIT: *See* Texas

COSGROVE, J. J. and WARREN, J. E.: *Prediction of Waterflood Behavior in a Stratified System*, SPEJ June, 149

CRAIG, F. F., JR., et al: *Significance of Partial Pressure Maintenance by Fluid Injection*, (Tech. Art.) JPT Jan., 20

CRAIN, L. L. and ROEBUCK, I. F., JR.: *Water Flooding a High Water-Cut Strawn Sand Reservoir*, (Tech. Art.) JPT Aug., 845

CRAWFORD, H. R., et al: *Field and Laboratory Results of Carbon Dioxide and Nitrogen in Well Stimulation*, (Tech. Art.) JPT Mar., 244

CRAWFORD, P. B. and MIESCH, E. P.: *Effect of Proximity of Permeable and Impermeable Lenses on Well Performance*, SPEJ Dec., 285

CREATIVITY: latent and undeveloped natural resource, (Tech. Art.) JPT Nov., 1225

CRITICAL POINT: conditions up to: prediction of *K*-values for ternary hydrocarbon systems, SPEJ Dec., 329

CRITICAL PROPERTIES: cricondentherm and cricondenbar pressures of multicomponent hydrocarbon mixtures, SPEJ Sept., 240

CROSSFLOW: under jet bits, JPT Nov., 1299

D

DAVIS, M. J.: *The New Humble—A Study in Organization*, (Tech. Art.) JPT Apr., 395

DEAN, M. R., et al: *Bisti—Solvent Production During Three Years of Unit Operations*, (Tech. Art.) JPT May, 515

DEAN, M. R. and BRINKLEY, T. W.: *Measuring Solvent Production in Miscible Phase Oil Recovery Operations*, (Tech. Art.) JPT May, 519

DE NEVERS, N.: *A Calculation Method for Carbonated Water Flooding*, SPEJ Mar., 9; discussion, 18

DENSITY: relationship with specific weight, (Tech. Art.) JPT June, 657

DENSITY LOGGING: dual spacing formation density log, JPT Dec., 1411

DEVELOPMENT: efforts toward Fairway field of East Texas, (Tech. Art.) JPT Feb., 133
fracturing: advancements through 15 years, (Tech. Art.) JPT July, 760
latent creativity, (Tech. Art.) JPT Nov., 1225
Ozona gas area, Texas: case history, (Tech. Art.) JPT July, 719
Pickton field: review of successful gas injection project, (Tech. Art.) JPT Apr., 399; discussion, 405
realistic: petroleum engineering, (Tech. Art.) JPT Sept., 947

DIATOMACEOUS EARTH: use in waterflood filtration, (Tech. Art.) JPT Nov., 1215

DIMENSIONLESS GROUPS: methods of similarity, (Tech. Art.) JPT Aug., 877

DISCOUNTED CASH FLOW: investment decisions in petroleum exploration and production, (Tech. Art.) JPT July, 727

DISPERSION: macroscopic, SPEJ Sept., 215
in porous media, SPEJ Mar., 73; discussion, SPEJ Sept., 282

DISPLACEMENT EFFICIENCY: prediction of waterflood behavior in a stratified system, SPEJ June, 149

DISPLACEMENT MECHANISM: *See also* Miscible Displacement
applying frontal advance equation to vertical segregation reservoirs, JPT Jan., 87
oil: calculation by counter-current water imbibition, SPEJ Sept., 195
oil and water by alcohol: mathematical theory, SPEJ Sept., 250
water-oil: effect of chromatographic transport in hexylamine in porous media, SPEJ Sept., 231

DOBBS, J. B., et al: *Field and Laboratory Results of Carbon Dioxide and Nitrogen in Well Stimulation*, (Tech. Art.) JPT Mar., 244

DOLLARHIDE, F. E. and HALL, C. D., JR.: *Effects of Fracturing Fluid Velocity on Fluid-Loss Agent Performance*, JPT May, 555

DOUGHERTY, E. W. and SHELDON, J. W.: *A Numerical Method for Computing the Dynamical Behavior of Fluid-Fluid Interfaces in Permeable Media*, SPEJ June, 158
The Use of Fluid-Fluid Interfaces to Predict the Behavior of Oil Recovery Processes, SPEJ June, 171

DRAG REDUCTION: characteristics: solutions of macromolecules in turbulent pipe flow, SPEJ Sept., 203

DREWS, W. P., et al: *Determination of Aquifer Influence Functions From Field Data*, JPT Dec., 1417

DRILLING: chip removal by a hydraulic jet, SPEJ Mar., 21
crossflow and impact under jet bits, JPT Nov., 1299
full-scale experiments on jets in impermeable rock, JPT Mar., 329
offshore: effects of drilling vessel pitch or roll on kelly and drill pipe fatigue, JPT Jan., 77
from floating platforms, (Tech. Art.) JPT June, 605
underwater completion methods, (Tech. Art.) JPT, June, 595
Ozona gas area, Texas: case history, (Tech. Art.) JPT July, 719
using model basin tests to predict motion characteristics of floating rigs, (Tech. Art.) JPT Dec., 1361

DRILLING FLUIDS: effects of fracturing fluid velocity on fluid-loss agent performance, JPT May, 555
hydroxyl factor in shale control, JPT Oct., 1177

DROSCHAK, D. M., et al: *Effects of Pressure and Fluid Saturation on the Attenuation of Elastic Waves in Sand*, JPT Feb., 189

DUMORE, J. M.: *Stability Consideration in Downward Miscible Displacements*, SPEJ Dec., 356

DURIE, R. W. and JESSEN, F. W.: *The Influence of Surface Features in the Salt Dissolution Process*, SPEJ Sept., 275
Mechanism of the Dissolution of Salt in the Formation of Underground Salt Cavities, SPEJ June, 183

E

EAKIN, B. E. and LEE, A. L.: *Gas-Phase Viscosity of Hydrocarbon Mixtures*, SPEJ Sept., 247

EAST ALTA MESA FIELD: *See* Texas

EAST SEYMOUR STRAWN FIELD: *See* Texas

ECONOMICS: automating remote stations, (Tech. Art.) JPT July, 757
consolidation and LACT in SACROC unit, (Tech. Art.) JPT July, 751
glances at international petroleum industry, (Tech. Art.) JPT Sept., 973
investment decisions in petroleum exploration and production, (Tech. Art.) JPT July, 727
methods and procedures for estimating fair-market value of petroleum properties, (Tech. Art.) JPT May, 481
recent performance and outlook for petroleum securities, (Tech. Art.) JPT June, 633
relation of earning power to other profitability criteria, (Tech. Art.) JPT Mar., 269

EDWARDS, L., et al: *Nuclear Magnetism Logging Field Results*, (Tech. Art.) JPT Feb., 150

EDWARDS, J. M. and STROUD, S. G.: *Field Results of the Electromagnetic Casing Inspection Log*, (Tech. Art.) JPT Apr., 377

EGGLESTON, W. S., *Methods and Procedures for Estimating Fair-Market Value of Petroleum Properties*, (Tech. Art.) JPT May, 481

EILERTS, C. K.: *Integration of Partial Differential Equation for Transient Linear Flow of Gas-Condensate Fluids in Porous Structures*, SPEJ Dec., 291

EL CAPITAN WATER LINE: *See* Texas

ELDER, B. P. and JOYNER, J. W.: *Automating Remote Stations*, (Tech. Art.) JPT July, 757

ELENBAAS, J. R. and HUBBARD, R. M.: *Determining Gas-Filled Pore Volume in a Water-Drive Gas-Storage Reservoir*, (Tech. Art.) JPT Apr., 383

ENDEAN, H. J. and KALISH, P. J.: *The Utilization of a Flash-Differential Process to Increase Stock-Tank Recovery*, (Tech. Art.) JPT Sept., 998

ENERGY: atomic: effects on nuclear explosions on oil reservoir stimulation, (Tech. Art.) JPT May, 473

ENGINEERING: application in non-Newtonian fluid systems SPEJ Mar., 56
practical aspects of corrosion control, (Tech. Art.) JPT June, 615
professional societies become active in governmental programs, (Tech. Art.) JPT May, 529
proper use in secondary recovery, (Tech. Art.) JPT Sept., 1003
selection of management personnel from ranks, (Tech. Art.) JPT, Feb., 125

ENGINEERING EDUCATION: accreditation, (Tech. Art.) JPT Mar., 265
AIME section attacks continuing education problem, (Tech. Art.) JPT Oct., 1137
petroleum: realistic development, (Tech. Art.) JPT Sept., 947
philosophy of Herbert Hoover, (Tech. Art.) JPT Jan., 12
recruiting and training gifted students, (Tech. Art.) JPT Nov., 1215
USL students undertake outstanding engineering project, (Tech. Art.) JPT Feb., 169

ENGINEERING PROFESSION: facilitating registration of AIME members as professional engineers, (Tech. Art.) JPT July, 775

ENGINEERS: time and effort budget, (Tech. Art.) JPT Aug., 859
woman's auxiliary of AIME effectively combats student shortage, (Tech. Art.) JPT July, 785

ENGINEERS' COUNCIL FOR PROFESSIONAL DEVELOPMENT: AIME board hears report on, (Tech. Art.) JPT Nov., 1261
realistic development of petroleum engineering, (Tech. Art.) JPT Sept., 947
role in engineering education and accreditation, (Tech. Art.) JPT Mar., 265

ENGINEERS JOINT COUNCIL: activity in governmental programs, (Tech. Art.) JPT May, 529
AIME board hears report on, (Tech. Art.) JPT Nov., 1261

ENRICHED-GAS DRIVE: performance with alternate gas-water displacement, (Tech. Art.) JPT Apr., 372

EQUILIBRIUM RATIOS: prediction for ternary hydrocarbon systems; conditions up to critical point, SPEJ Dec., 329

EQUIPMENT: automating remote stations, (Tech. Art.) JPT July, 757
effects of drilling vessel pitch or roll on kelly and drill pipe fatigue, JPT Jan., 77
fracturing: advancements through 15 years, (Tech. Art.) JPT July, 760
instrumentation for simplified commingling and well-testing operations, (Tech. Art.) JPT July, 732
offshore: drilling and completion methods (Tech. Art.) JPT June, 595
drilling and well completions from floating platforms, (Tech. Art.) JPT June, 605

EQUIPMENT: vertical turbine vs positive-displacement pumps used in operations, (Tech. Art.) JPT Feb., 139

ERATH FIELD: *See* Louisiana

EUROPE: new horizons for gas, (Tech. Art.) JPT May, 499
visit by Joe B. Alford, (Tech. Art.) JPT May, 527

EVALUATION: acoustic amplitude ratio logging, (Tech. Art.) JPT Nov., 1243
cement-pipe bonding, (Tech. Art.) JPT Feb., 157
corrosion controls: practical engineering, (Tech. Art.) JPT June, 615
field comparison of remedial work on water injection wells, (Tech. Art.) JPT Oct., 1121
fluid travel log, (Tech. Art.) JPT Aug., 851
graphical techniques: stabilizer charged gas lift valve for multiple-phase flow, JPT June, 683; discussion, JPT June, 698 and JPT Oct., 1187
investment decisions in petroleum exploration and production, (Tech. Art.) JPT July, 727
logging observation wells in gas storage, (Tech. Art.) JPT July, 745
neutron lifetime log, JPT Mar., 319
petroleum properties: methods and procedures for estimating fair-market value, (Tech. Art.) JPT May, 481
progress report on cement bond logging, (Tech. Art.) JPT Oct., 1117
of rock targets to jets from lined-cavity shaped charges, (Tech. Art.) JPT Jan., 41

EVANS, G. W. and CARTER, L. G.: *A Study of Cement-Pipe Bonding*, (Tech. Art.) JPT Feb., 157

EXPLORATION: investment decisions, (Tech. Art.) JPT July, 727
responsibility of geologists and petroleum engineers in meeting demands in future, (Tech. Art.) JPT Mar., 239

F

FAIR-MARKET VALUE: petroleum properties: methods and procedures for estimating, (Tech. Art.) JPT May, 481

FAIRWAY FIELD: *See* Texas

FATIGUE: tubular materials, (Tech. Art.) JPT Aug., 869

FEENSTRA, R. and VAN LEEUWEN, J. J. M.: *Full-Scale Experiments on Jets in Impermeable Rock Drilling*, JPT Mar., 329

FERGUSON, H. D.: *Latent Creativity—A Sleeping Giant*, (Tech. Art.) JPT Nov., 1225

FERGUSON, H. D., et al: *Bisti—Solvent Production During Three Years of Unit Operations*, (Tech. Art.) JPT May, 515

FETTERS, K. L.: *The Nature of Fatigue*, (Tech. Art.) JPT Aug., 869

FIELD CASE HISTORY. *See also* Field Tests
Bisti: solvent production during three years of unit operations, (Tech. Art.) JPT May, 515
Broussard sand: early performance review of successful pressure maintenance project in deep Louisiana oil reservoir, (Tech. Art.) JPT Dec., 1357
California flood yields profitable recovery of heavy oil from multilayered reservoir, (Tech. Art.) JPT May, 509
Fairway field, East Texas: development and efforts towards unitization, (Tech. Art.) JPT Feb., 133
five examples of use of carbon dioxide for water injectivity improvement, (Tech. Art.) JPT Jan., 25
Horseshoe-Gallup water injection project, (Tech. Art.), JPT Oct., 1101
Kelly-Snyder field, SACROC unit, Texas: consolidation and LACT, (Tech. Art.) JPT July, 751
Meadow Creek unit Lakota "B" combination water-miscible flood, (Tech. Art.) JPT Sept., 993
Midland Farms field, Texas: performance of miscible flood with alternate gas-water displacement, (Tech. Art.) JPT Apr., 372
Ozona gas area, Texas: producing, engineering and purchasing, (Tech. Art.) JPT July, 719
Pickton field: review of successful gas injection project, (Tech. Art.) JPT Apr., 399; discussion, 405
pressure maintenance by fluid injection in North Pembina Cardium unit No. 1, (Tech. Art.) JPT Sept., 977
successful peripheral water flood in a thin Pennsylvanian reservoir, (Tech. Art.) JPT Nov., 1238
successfully water flooding a fractured sandstone, (Tech. Art.) JPT Nov., 1233
water flooding a high water-cut Strawn sand reservoir, (Tech. Art.) JPT Aug., 845

FIELD TESTS: carbon dioxide and nitrogen in well stimulation, (Tech. Art.) JPT Mar., 244
comparison of methods of evaluating remedial work on water injection wells, (Tech. Art.) JPT Oct., 1121

determination of aquifer influence functions, JPT Dec., 1417
effect of liquid viscosity in two-phase vertical flow, JPT Feb., 203
electromagnetic casing inspection log, (Tech. Art.) JPT Apr., 377
fluid travel log, (Tech. Art.) JPT Aug., 851
hydroxyl factor in shale control, JPT Oct., 1177
implosive shock treatment of injection wells, (Tech. Art.) JPT Feb., 128
improved secondary recovery by control of water mobility, JPT Aug., 911; discussion, JPT Dec., 1430
neutron lifetime, a new nuclear log, JPT Mar., 319
nuclear magnetism logging (Tech. Art.) JPT Feb., 150
practical application of interference tests, (Tech. Art.) JPT Mar., 249
stressed steel liner casing patch, (Tech. Art.) JPT Feb., 147
using compressional and shear acoustic amplitudes for location of fractures, (Tech. Art.) JPT June, 623
vertical turbine vs positive-displacement pumps used in waterflood operations, (Tech. Art.) JPT Feb., 139
warm-air coking—new completion method for unconsolidated sands, (Tech. Art.) JPT Apr., 367
water floods using polymer solutions to increase oil recoveries, JPT Aug., 917

FILTRATION: water flood: review of, (Tech. Art.) JPT Nov., 1220

FINGERING: instability in water flooding oil from water-wet porous media containing connate water, SPEJ June, 133

FITCH, R. A. and GRIFFITH, J. D.: *Experimental and Calculated Performance of Miscible Floods in Stratified Reservoirs*, JPT Nov., 1289

FITCH, R. A. and HOLLOWAY, H. D.: *Performance of a Miscible Flood with Alternate Gas-Water Displacement*, (Tech. Art.) JPT Apr., 372

FITZGIBBON, H. J.: *Gas Well Automation*, (Tech. Art.) JPT Aug., 873

FLASH-DIFFERENTIAL SEPARATION: utilization to increase stock-tank recovery, (Tech. Art.) JPT Sept., 998

FLOATING VESSELS: equipment for drilling and completion methods, (Tech. Art.) JPT June, 595
marine drilling and well completions, (Tech. Art.) JPT June, 605
using model basin tests to predict motion characteristics, (Tech. Art.) JPT Dec., 1361

FLUID FLOW: calculation of oil displacement by counter-current water imbibition, SPEJ Sept., 195
crossflow and impact under jet bits, JPT Nov., 1299
dead-end pore volume and dispersion in porous media, SPEJ Mar., 73; discussion, SPEJ Sept., 282
directional permeability of heterogeneous anisotropic porous media, SPEJ June, 124; discussion, SPEJ Dec., 363
distribution of oil phase obtained upon imbibition of water, SPEJ Mar., 49
effect of chromatographic transport in hexylamine on displacement of oil by water in porous media, SPEJ Sept., 231
effect of foam on permeability of porous media to gas, SPEJ Sept., 267
effects of fracturing fluid velocity on fluid-loss agent performance, JPT May, 555
effect of light-gasoline injection on oil recovery by water flooding, JPT Nov., 1307
effect of proximity of permeable and impermeable lenses on well performance, SPEJ Dec., 285
engineered casing cementing programs using turbulent flow techniques, (Tech. Art.) JPT May, 503
friction pressure reducers in well stimulation, (Tech. Art.) JPT Aug., 865
heterogeneous Hele-Shaw models, SPEJ Dec., 307
influence of surface features in salt dissolution process, SPEJ Sept., 275
instability in water flooding oil from water-wet porous media containing connate water, SPEJ June, 133
investigation of miscible displacements of aqueous and oleic phases from porous media, SPEJ Mar., 37
laboratory and field studies of water floods using polymer solutions to increase oil recoveries, JPT Aug., 917
linear: aquifer behavior, JPT May, 561
experimentally determined resistivity profiles in invaded water and oil sands, JPT Mar., 337
linear, transient: integration of partial differential equation for gas-condensate fluids in porous structures, SPEJ Dec., 291
mathematical theory for displacement of oil and water by alcohol, SPEJ, Sept., 250
mechanism: controlled dissolution of salt in solution mining, SPEJ Dec., 317
dissolution of salt in formation of underground salt cavities, SPEJ June, 183
multiple-phase: evaluation of a stabilizer gas lift valve, JPT June, 683; discussion, JPT June, 698 and JPT Oct., 1187
non-Darcy radial gas flow: approximate method, SPEJ June, 96
numerical method: computing dynamical behavior of fluid-fluid interfaces in permeable media, SPEJ June, 158 and 171
multidimensional miscible displacement by method of characteristics, SPEJ Mar., 26
prediction: relative permeability characteristics of intergranular reservoir rocks from electrical resistivity measurements, JPT May, 564
waterflood behavior in a stratified system, SPEJ June, 149
waterflood performance for arbitrary well patterns and mobility ratios, JPT Jan., 95
research and engineering application in non-Newtonian fluid systems, SPEJ Mar., 56
role of wettability and interfacial tension in water flooding, SPEJ June, 115
stability considerations in downward miscible displacements; SPEJ Dec., 356
transient pressure behavior in vertically fractured reservoirs, JPT Oct., 1159
turbulent: drag reduction characteristics of solutions of macromolecules in pipe, SPEJ Sept., 203
two-phase vertical: effect of liquid viscosity, JPT Feb., 203
use of carbon dioxide for water injectivity improvement, (Tech. Art.) JPT Jan., 25

FLUID INJECTION: *See also* Gas and LPG Injection, Miscible Displacement, Thermal Recovery of Oil and Water Flooding
pressure maintenance in North Pembina Cardium unit No. 1, (Tech. Art.) JPT Sept., 977

FLUID SATURATION: effect on attenuation of elastic waves in sands, JPT Feb., 189

FLUID TRAVEL LOG: determining injection profiles, (Tech. Art.) JPT Aug., 851

FOAM: effect on permeability of porous media to gas, SPEJ Sept., 267

FOREIGN OPERATIONS: glances at international petroleum industry, (Tech. Art.) JPT Sept., 973

FORMATION EVALUATION: compressional and shear acoustic amplitudes for location of fractures, (Tech. Art.) JPT June, 623
dual spacing formation density log, JPT Dec., 1411
factors affecting the responses of Laterolog-type logging systems (LL3 and LL7), JPT Feb., 211
logging observation wells in gas storage, (Tech. Art.) JPT July, 745
nuclear magnetism logging field results, (Tech. Art.) JPT Feb., 150
subsurface telemetry problem—a practical solution, (Tech. Art.) JPT May, 487
time-lapse logging, a valuable reservoir evaluation technique, (Tech. Art.) JPT Jan., 15

FORMATION FRACTURES: location: using compressional and shear acoustic amplitudes, (Tech. Art.) JPT June, 623
sandstone: case history of successfully water flooding, (Tech. Art.) JPT Nov., 1233
transient pressure behavior in vertically fractured reservoirs, JPT Oct., 1159

FORMATION FRACTURING: advancements through 15 years, (Tech. Art.) JPT July, 760
application of the influence of chemical composition of water on clay blocking of permeability, JPT Apr., 441
effects of fluid velocity on fluid-loss agent performance, JPT May, 555
fluid mechanics research and engineering application in non-Newtonian fluid systems, SPEJ Mar., 56

FOSTER FIELD: *See* Texas

FOSTER-SOUTH COWDEN UNIT: *See* Texas

FORSYTH, V. L.: *Evaluation of a Stabilizer Charged Gas Lift Valve for Multiple-Phase Flow Using Graphical Techniques*, JPT June, 683; discussion, JPT June, 698 and JPT Oct., 1187

FRACTURED RESERVOIRS OR FRACTURING: *See* Formation Fractures
FRACTURE: *See* Formation Fractures
FRICTION: pressure reduction in well stimulation, (Tech. Art.) JPT Aug., 865
FRONTAL ADVANCE EQUATION: applying to vertical segregation reservoirs, JPT Jan., 87

G

GAINES, J. C. and BRACKBILL, R. M.: *El Capitan Source Water System*, (Tech. Art.) JPT Dec., 1351
GALLOWAY, L. D. and KENDRICK, H. L.: *Standardization of Gas Well Tests*, (Tech. Art.) JPT Oct., 1113
GAMSON, B. W., et al: *Nuclear Magnetism Logging Field Results*, (Tech. Art.) JPT Feb., 150
GARDER, A. O., JR., et al: *Numerical Calculation of Multidimensional Miscible Displacement by the Method of Characteristics*, SPEJ Mar., 26
GARDNER, G. H. F., et al: *Effects of Pressure and Fluid Saturation on the Attenuation of Elastic Waves in Sands*, JPT Feb., 189
GAS: *See also* Natural Gas
GAS: coning: systematic study by potentiometric models, JPT Aug., 923
use of two-dimensional methods for calculating well behavior, SPEJ Dec., 345
correlation of viscosity of light paraffin hydrocarbons and their mixtures, JPT June, 679
effect of foam on permeability of porous media, SPEJ Sept., 267
Europe: new horizons, (Tech. Art.) JPT May, 499
hydrocarbon mixtures: gas-phase viscosity, SPEJ Sept., 247
GAS CONDENSATE: *See* Condensate
GAS FIELDS: automatic gas-flow control system adaptable to production, (Tech. Art.) JPT Mar., 253
GAS INJECTION: comparison with water flooding of partial pressure maintenance in Pembina-Cardium field, (Tech. Art.) JPT Jan., 20
Pickton field: review of successful project, (Tech. Art.) JPT Apr., 399; discussion, 405
GAS LIFT: evaluation of a stabilizer charged valve for multiple-phase flow using graphical techniques, JPT June, 683; discussion, JPT June, 698 and JPT Oct., 1187
GAS RESERVOIRS: rapid methods for estimating compressibilities, JPT Apr., 447
storage: determining gas-filled pore volume under water drive, (Tech. Art.) JPT Apr., 383
GAS-WATER DISPLACEMENT: alternate: performance of miscible flood, (Tech. Art.) JPT Apr., 372
GAS WELLS: automation, (Tech. Art.) JPT Aug., 873
low-pressure shallow: water-lift and disposal operations, (Tech. Art.) JPT June, 619
standardization of tests: (Tech. Art.) JPT Oct., 1113
GATEMAN, J. C., et al: *Increasing Injectivity of Shaly Sands With Chemicals*, (Tech. Art.) JPT Oct., 1107
GEER, R. L., et al: *Underwater Drilling and Completion Methods*, (Tech. Art.) JPT June, 595
GEOLOGISTS: responsibility in meeting exploration demands in future, (Tech. Art.) JPT Mar., 239
GERMANY: oil industry of, (Tech. Art.) JPT June, 589
GERNERT, J. M. and BRIGHAM, W. E.: *Meadow Creek Unit Lakota "B" Combination Water-Miscible Flood*, (Tech. Art.) JPT Sept., 993
GIDDINGS, J. G. and KOBAYASHI, R.: *Correlation of the Viscosity of Light Paraffin Hydrocarbons and Their Mixtures in the Liquid and Gaseous Regions*, JPT June, 679
GILLSON, J. L.: *Facilitating Registration of AIME Members as Professional Engineers*, (Tech. Art.) JPT July, 775
GOGARTY, W. B.: *Discussion on Improved Secondary Recovery by Control of Water Mobility*, JPT Dec., 1430
GONDOUIN, M. and HEIM, A.: *Experimentally Determined Resistivity Profiles in Invaded Water and Oil Sands for Linear Flows*, JPT Mar., 337
GOODWIN, R. J., et al: *Warm-Air Coking—A New Completion Method for Unconsolidated Sands*, (Tech. Art.) JPT Apr., 367
GOOLSBY, J. L. and ANDERSON, R. C.: *Pilot Water Flooding in a Dolomite Reservoir, the McElroy Field*, (Tech. Art.) JPT Dec., 1345
GOVERNMENTAL PROGRAMS: activity of engineering societies, (Tech. Art.) JPT May, 529
GRAVITY DRAINAGE: laboratory studies of effects on miscible displacement in vertical unconsolidated porous media, SPEJ Mar., 1
GREENKORN, R. A., et al: *Directional Permeability of Heterogeneous Anisotropic Porous Media*, SPEJ June, 124; discussion, SPEJ Dec., 363
Flow in Heterogeneous Hele-Shaw Models, SPEJ Dec., 307
GREENWALT, D. R.: *Early Performance Review of a Successful Pressure Maintenance Project in a Deep Louisiana Reservoir*, (Tech. Art.) JPT Dec., 1357
GREENWOOD FIELD: *See* Kansas
GRIEVES, R. B. and THODOS, G.: *The Cricondentherm and Cricondenbar Pressures of Multicomponent Hydrocarbon Mixtures*, SPEJ Sept., 240
GRIFFITH, J. D. and FITCH, R. A.: *Experimental and Calculated Performance of Miscible Floods in Stratified Reservoirs*, JPT Nov., 1289
GRINE, D. R., et al: *Using Compressional and Shear Acoustic Amplitudes for The Location of Fractures*, (Tech. Art.) JPT June, 623
GROENEVELD, H.: *Pressure Maintenance by Fluid Injection in the North Pembina Cardium Unit No. 1*, (Tech. Art.) JPT Sept., 977
GUICO FIELD: *See* Venezuela
GUYOD, H.: *Factors Affecting the Responses of Laterolog-Type Logging Systems (LL3 and LL7)*, JPT Feb., 211

H

HAGEDORN, A. R. and BROWN, K. E.: *The Effect of Liquid Viscosity in Two-Phase Vertical Flow*, JPT Feb., 203
HALBOUTY, M. T. and BARBER, T. D.: *The Responsibility of Geologists and Petroleum Engineers in Meeting Exploration Demands in the Future*, (Tech. Art.) JPT Mar., 239
HALL, C. D., JR., and DOLLARHIDE, F. E.: *Effects of Fracturing Fluid Velocity on Fluid-Loss Agent Performance*, JPT May, 555
HANSFORD, J. E. and LUBINSKI, A.: *Effects of Drilling Vessel Pitch or Roll on Kelly and Drill Pipe Fatigue*, JPT Jan., 77
HARING, R. E., et al: *Flow in Heterogeneous Hele-Shaw Models*, SPEJ Dec., 307
HARRIS, W. J., JR.: *Engineering Societies Become Active in Governmental Programs*, (Tech. Art.) JPT May, 529
HASSEBROEK, W. E. and WATERS, A. B.: *Advancements Through 15 Years of Fracturing*, (Tech. Art.) JPT July, 760
HAUBER, W. C.: *Prediction of Waterflood Performance for Arbitrary Well Patterns and Mobility Ratios*, JPT Jan., 95
HAVLENA, D. and ODEH, A. S.: *The Material Balance as an Equation of a Straight Line—Part II, Field Cases*, JPT July, 815
HEALDTON-ARBUCKLE FIELD: *See* Oklahoma
HEAT: linear wave: vaporization-condensation phenomenon, SPEJ June, 85
HEAT CONDUCTION: simplified model in systems of limited permeability, SPEJ Dec., 335
HEIM, A. and GONDOUIN, M.: *Experimentally Determined Resistivity Profiles in Invaded Water and Oil Sands for Linear Flows*, JPT Mar., 337
HERBECK, E. F. and PRINGLE, E. M.: *Horseshoe-Gallup Water Injection Project—An Engineering Challenge*, (Tech. Art.) JPT Oct., 1101
HEXYLAMINES effect on chromatographic transport, displacement of oil by water in porous media, SPEJ Sept., 231
HIGGINS, R. V., et al: *Aids to Forecasting the Performance of Water Floods*, JPT Sept., 1076
Decline and Forecast Studies Based on Performance of

Selected California Oilfields, (Tech. Art.) JPT Sept., 959

HISTORY: review of waterflood filtration, (Tech. Art.) JPT Nov., 1220

HOLLOWAY, H. D. and FITCH, R. A.: *Performance of a Miscible Flood with Alternate Gas-Water Displacement,* (Tech. Art.) JPT Apr., 372

HOLM, L. W.: *Discussion on A Calculation Method for Carbonated Water Flooding,* SPEJ Mar., 18

HOLM, L. W. and BERNARD, G. G.: *Effect of Foam on Permeability of Porous Media to Gas,* SPEJ Sept., 267

HOLMES, B. C. and BRICE, J. W., JR.: *Engineered Casing Cementing Programs Using Turbulent Flow Techniques,* (Tech. Art.) JPT May, 503

HOOVER, H.: *The Philosophy of Herbert Hoover,* (Tech. Art.) JPT Jan., 12

HOPKINSON, E. C., et al: *Neutron Lifetime, a New Nuclear Log,* JPT Mar., 319

HORSESHOE GALLUP FIELD: *See* Texas

HORSESHOE-GALLUP UNIT: *See* New Mexico

HOWELL, B. L., et al: *A Successful Peripheral Water Flood in a Thin Pennsylvanian Reservoir,* (Tech. Art) JPT Nov., 1238

HOWLETT, W. E. and SLOBOD, R. L.: *The Effects of Gravity Segregation in Laboratory Studies of Miscible Displacement in Vertical Unconsolidated Porous Media,* SPEJ Mar., 1

HUBBARD, R. M. and ELENBAAS, J. R.: *Determining Gas-Filled Pore Volume in a Water-Drive Gas-Storage Reservoir,* (Tech. Art.) JPT Apr., 383

HUGOTON FIELD: *See* Texas

HUMBLE OIL AND REFINING CO.: a study in organization, (Tech. Art.) JPT Apr., 395

HYDRAULIC JETTING: *See* Abrasive Jetting

HYDROCARBON ANALYSIS: condensate systems by chromatography, JPT Apr., 435

HYDROCARBONS: light: gas-phase viscosity of mixtures, SPEJ Sept., 247

light paraffin and their mixtures: correlation of viscosity in liquid and gaseous regions, JPT June, 679

multicomponent mixtures: cricondentherm and cricondenbar pressures, SPEJ Sept., 240

ternary: prediction of *K*-values for conditions up to critical point, SPEJ Dec., 329

HYDROXYL FACTOR: effect in shale control, JPT Oct., 1177

I

IMBIBITION: water, countercurrent: calculation of oil displacement, SPEJ Sept., 195

water: distribution of oil phase obtained, SPEJ Mar., 49

INDUCTION LOG: in combination with microlog, digital computer programming for automatic analysis, (Tech. Art.) JPT Jan., 35

INGLEWOOD FIELD: *See* California

INHIBITORS: chemical: practical engineering of corrosion control, (Tech. Art.) JPT June, 615

INJECTION: *See* also Gas and LPG Injection, Miscible Displacement, Thermal Recovery of Oil and Water Flooding

light-gasoline: effect on oil recovery by water flooding, JPT Nov., 1307

INJECTION WELLS: implosive shock treatment, (Tech. Art.) JPT Feb., 128

model studies of inverted nine-spot pattern, JPT July, 801

nine-spot pattern: areal sweepout behavior, JPT Feb., 199

water: field comparison of methods of evaluating remedial work, (Tech. Art.) JPT Oct., 1121

improvement by use of carbon dioxide, (Tech. Art.) JPT Jan., 25

INJECTIVITY: increasing in shaly sands with chemicals, (Tech. Art.) JPT Oct., 1107

INSTRUMENTATION: for simplified commingling and well-testing operations, (Tech. Art.) JPT July, 732

INTERFACIAL TENSION: role in water flooding, SPEJ June, 115

INTERFERENCE TESTS: practical application, (Tech. Art.) JPT Mar., 249

IN SITU COMBUSTION: *See* Thermal Recovery of Oil

INVASION: experimentally determined resistivity profiles in water and oil sands for linear flows, JPT Mar., 337

INVESTMENTS: decisions in petroleum exploration and production, (Tech. Art.) JPT July, 727

recent performance and outlook for petroleum securities, (Tech. Art.) JPT June, 633

relation of earning power to other profitability criteria, (Tech. Art.) JPT Mar., 269

J

JAHNS, H. O., et al: *Flow in Heterogeneous Hele-Shaw Models,* SPEJ Dec., 307

JAMESON FIELD: *See* Texas

JESSEN, F. W. and DURIE, R. W.: *The Influence of Surface Features in the Salt Dissolution Process,* SPEJ Sept., 275

Mechanism of the Dissolution of Salt in the Formation of Underground Salt Cavities, SPEJ June, 183

JESSEN, F. W. and KAZEMI, H.: *Mechanism of Flow and Controlled Dissolution of Salt in Solution Mining,* SPEJ Dec., 317

JET PENETRATION: detailed response of some rock targets to jets from lined-cavity shaped charges, (Tech. Art.) JPT, 41

JETS: full-scale experiments in impermeable rock drilling, JPT Mar., 329

hydraulic: chip removal by, SPEJ Mar., 21

JETTING: crossflow and impact on bits, JPT Nov., 1299

JOFFRE FIELD: *See* Canada

JOHNSON, C. R., et al: *Directional Permeability of Heterogeneous Anisotropic Porous Media,* SPEJ June, 124; discussion, SPEJ Dec., 363

JOHNSTONE, C. W., et al: *The Dual Spacing Formation Density Log,* JPT Dec., 1411

JONES, F. O., JR.: *Influence of Chemical Composition of Water on Clay Blocking of Permeability,* JPT Apr., 441

JOSLIN, W. J.: *Applying the Frontal Advance Equation to Vertical Segregation Reservoirs,* JPT Jan., 87

JOYNER, J. W. and ELDER, B. P.: *Automating Remote Stations,* (Tech. Art.) JPT July, 757

K

KALISH, P. J., et al: *The Effect of Bacteria on Sandstone Permeability,* JPT July, 805

KALISH, P. J. and ENDEAN, H. J.: *The Utilization of a Flash-Differential Process to Increase Stock-Tank Recovery,* (Tech. Art.) JPT Sept., 998

KANSAS: Greenwood field: water-lift and disposal operations in low-pressure shallow gas wells, (Tech. Art.) JPT June, 619

Hugoton field: water-lift and disposal operations in low-pressure shallow gas wells, (Tech. Art.) JPT June, 619

Squirrel sand: use of carbon dioxide for water injectivity improvement, (Tech. Art.) JPT Jan., 25

KAZEMI, H. and JESSEN, F. W.: *Mechanism of Flow and Controlled Dissolution of Salt in Solution Mining,* SPEJ Dec., 317

KEHN, D. M.: *Rapid Analysis of Condensate Systems by Chromatography,* JPT Apr., 435

KELLY-SNYDER FIELD: *See* Texas

KEMP, G.: *Field Results of the Stressed Steel Liner Casing Patch,* (Tech. Art.) JPT Feb., 147

KENDRICK, H. L. and GALLOWAY, L. D.: *Standardization of Gas Well Tests,* (Tech. Art.) JPT Oct., 1113

KEPLINGER, C. H.: *Glances at the International Petroleum Industry,* (Tech. Art.) JPT Sept., 973

KIMBALL, W. P.: *Engineering Education and Accreditation,* (Tech. Art.) JPT Mar., 265

KIMBLER, O. K., et al: *Areal Sweepout Behavior in a Nine-Spot Injection Pattern,* JPT Feb., 199

KIRK, J. W.: *A Review of Waterflood Filtration,* (Tech. Art.) JPT Nov., 1220

KITE, G.: *Instrumentation for Simplified Commingling and Well-Testing Operations,* (Tech. Art.) JPT July, 732

KNUTSON, C. F., et al: *Effects of Nuclear Explosions on Oil*

Reservoir Stimulation, (Tech. Art.) JPT May, 473
Increasing Injectivity of Shaly Sands With Chemicals, (Tech. Art.) JPT Oct., 1107
KOBAYASHI, R. and GIDDINGS, J. G.: *Correlation of the Viscosity of Light Paraffin Hydrocarbons And Their Mixtures in the Liquid and Gaseous Regions*, JPT June, 679
KRIEGEL, M. W.: *A Program for Improving the Technical Competence of SPE Members*, (Tech. Art.) JPT Dec., 1337
KUBITZ, J. R. and SHEARIN, H. M.: *Producer-Engineer-Purchaser . . . A Case History*, (Tech. Art.) JPT July, 719

L

LABORATORY STUDIES: areal sweepout behavior in a nine-spot injection pattern, JPT Feb., 199
behavior of casing subjected to salt loading, JPT Sept., 1069
carbon dioxide and nitrogen in well stimulation, (Tech. Art.) JPT Mar., 244
cement-pipe bonding, (Tech. Art.) JPT Feb., 157
chip removal by a hydraulic jet, SPEJ Mar., 21
dead-end pore volume and dispersion in porous media, SPEJ Mar., 73; discussion, SPEJ Sept., 282
directional permeability of heterogeneous anisotropic porous media, SPEJ June, 124; discussion, SPEJ Dec., 363
distribution of oil phase obtained upon imbibition of water, SPEJ Mar., 49
drag reduction characteristics of solutions of macromolecules in turbulent pipe flow, SPEJ Sept., 203
effect of: bacteria on sandstone permeability, JPT July, 805
chromatographic transport in hexylamine on displacement of oil by water in porous media, SPEJ Sept., 231
foam on permeability of porous media to gas, SPEJ Sept. 267
gravity segregation of miscible displacement in vertical unconsolidated porous media, SPEJ Mar., 1
light-gasoline injection on oil recovery by water flooding, JPT Nov., 1307
pressure and fluid saturation on attenuation of elastic waves in sands, JPT Feb., 189
proximity of permeable and impermeable lenses on well performance, SPEJ Dec., 285
flow in heterogeneous Hele-Shaw models, SPEJ Dec., 307
full-scale experiments on jets in impermeable rock drilling, JPT Mar., 329
gas and water coning by potentiometric models, JPT Aug., 923
improved secondary recovery by control of water mobility, JPT Aug., 911; discussion, JPT Dec., 1430
influence of surface features in salt dissolution process, SPEJ Sept., 275
instability in water flooding oil from water-wet porous media containing connate water, SPEJ June, 133
macroscopic dispersion, SPEJ Sept., 215
mechanism of: dissolution of salt in formation of underground cavities, SPEJ June, 183
flow and controlled dissolution of salt in solution mining, SPEJ Dec., 317
miscible displacements of aqueous and oleic phases from porous media, SPEJ Mar., 37
model of inverted nine-spot injection pattern, JPT July, 801
numerical calculation of multidimensional miscible displacement by method of characteristics, SPEJ Mar., 26
performance of miscible floods in stratified reservoirs, JPT Nov., 1289
physical and thermal properties of frozen soil and ice, SPEJ Mar., 67
prediction of relative permeability characteristics of intergranular reservoir rocks from electrical resistivity measurements, JPT May, 564
rapid analysis of condensate systems by chromatography, JPT Apr., 435
resistivity profiles in invaded water and oil sands for linear flows, JPT Mar., 337
restoration of permeability to water-damaged cores, JPT Dec., 1405
role of wettability and interfacial tension in water flooding, SPEJ June, 115
stability considerations in downward miscible displacements, SPEJ Dec., 356
using compressional and shear acoustic amplitudes for location of fractures, (Tech. Art.) JPT June, 623
utilization of a flash-differential process to increase stock-tank recovery, (Tech. Art.) JPT Sept., 998
warm-air coking—new completion method for unconsolidated sands, (Tech. Art.) JPT Apr., 367
water floods using polymer solutions to increase oil recoveries, JPT Aug., 917
LACT: SACROC unit, (Tech. Art.) JPT July, 751
LAST, G. J., et al: *Significance of Partial Pressure Maintenance by Fluid Injection*, (Tech. Art.) JPT Jan., 20
LATEROLOG: LL3 and LL7: factors affecting the responses, JPT Feb., 211
LATIMER, J. R., JR. and OLIVER, F. L.: *The Fairway Field of East Texas: Its Development and Efforts Towards Unitization*, (Tech. Art.) JPT Feb., 133
LECHTENBERG, H. J., et al: *Decline and Forecast Studies Based on Performances of Selected California Oil Fields*, (Tech. Art.) JPT Sept., 959
LEE, A. L. and EAKIN, B. E.: *Gas-Phase Velocity of Hydrocarbon Mixtures*, SPEJ Sept., 247
LEIGHTON, A. J., et al: *Aids to Forecasting the Performance of Water Floods*, JPT Sept., 1076
LIBYA: visit by Joe B. Alford, (Tech. Art.) JPT May, 527
LINEAR DISPLACEMENT: aquifer behavior, JPT May, 561
integration of partial differential equation for transient flow of gas-condensate fluids in porous structures, SPEJ Dec., 291
LINEAR PROGRAMMING: determination of aquifer influence functions from field data, JPT Dec., 1417
LINE-DRIVE WELL PATTERN: forecasting performance of water floods, JPT Sept., 1076
LINER: stressed steel: field results of casing patch (Tech. Art.) JPT Feb., 147
LIQUIDS: correlation of viscosity of light paraffin hydrocarbons and their mixtures, JPT June, 679
LL 370 RESERVOIR: *See* Venezuela
LOGGING: *See* Well Logging
LOHEC, R. E. and MCGRAW, J. H.: *The Pickton Field—Review of a Successful Gas Injection Project*, (Tech. Art.) JPT Apr., 399; discussion, 405
LOHRENZ, J., et al: *Calculating Viscosities of Reservoir Fluids From Their Compositions*, JPT Oct., 1171
LOUISIANA: Bastian Bay field: gas well automation, (Tech. Art.) JPT Aug., 873
Broussard oil sand: early performance review of successful pressure maintenance project in a deep oil reservoir, (Tech. Art.) JPT Dec., 1357
LOVAN, T. E., JR. and MCCLUSKEY, L. D.: *Logging Observation Wells in Gas Storage*, (Tech. Art.) JPT July, 745
LOYE, P. E., et al: *A Successful Peripheral Water Flood in a Thin Pennsylvanian Reservoir*, (Tech. Art.) JPT Nov., 1238
LPG INJECTION: Bisti: solvent production during three years of unit operations, (Tech. Art.) JPT May, 515
measuring solvent production in miscible phase oil recovery operations, (Tech. Art.) JPT May, 519
LUBINSKI, A. and HANSFORD, J. E.: *Effects of Drilling Vessel Pitch or Roll on Kelly and Drill Pipe Fatigue*, JPT Jan., 77
LUFFEL, D. L.: *Discussion on A Technique for the Determination of Capillary Pressure Curves Using a Constantly Accelerated Centrifuge*, SPEJ June, 191

M

MALONE, W. T. and MELTON, L. L.: *Fluid Mechanics Research and Engineering Application in Non-Newtonian Fluid Systems*, SPEJ Mar., 56
MANAGEMENT: the new Humble—a study in organization, (Tech. Art.) JPT Apr., 395
selection of personnel from engineering ranks, (Tech. Art.) JPT Feb., 125
MARKET: Europe: new horizons for gas, (Tech. Art.) JPT May, 499
recent performance and outlook for petroleum securities, (Tech. Art.) JPT June, 633
MARSH, H. N.: *A Time and Effort Budget for Engineers*, (Tech. Art.) JPT Aug., 859
MARSHALL, R., et al: *The Fluid Travel Log*, (Tech. Art.) JPT Aug., 851

MATERIAL BALANCE: as an equation of a straight line, Part II, field cases, JPT July, 815
measuring solvent production in miscible phase oil recovery operations, (Tech. Art.) JPT May, 519
use in determining gas-filled pore volume in water-drive gas-storage reservoir, (Tech. Art.) JPT Apr., 383

MATHIS, J. W.: *Consolidation and LACT in the SACROC Unit*, (Tech. Art.) JPT July, 751

MATTHIES, E. P.: *Practical Application of Interference Tests*, (Tech. Art.) JPT Mar., 249

MAYER, E. H.: *Committee Proposes Revised Symbols List to SPE Membership*, (Tech. Art.) JPT June, 649

MCCLUSKEY, L. D. and LOVAN, T. E., JR., *Logging Observation Wells in Gas Storage*, (Tech. Art.) JPT July, 745

MCCORD, J. R., et al: *Determination of Aquifer Influence Functions From Field Data*, JPT Dec., 1417

MCELROY FIELD: *See* Texas

MCENTEE, J. R., et al: *Underwater Drilling and Completion Methods*, (Tech. Art.) JPT June, 595

MCEVER, J. W. and CHEATHAM, J. B., JR.: *Behavior of Casing Subjected to Salt Loading*, JPT Sept., 1069

MCGRAW, J. H. and LOHEC, R. E.: *The Pickton Field—Review of a Successful Gas Injection Project*, (Tech. Art.) JPT Apr., 399; discussion, 405

MCLEAN, R. H.: *Crossflow and Impact Under Jet Bits*, JPT Nov., 1299

MCMILLON, L. M. and ANDERSON, J. C.: *An Automatic Gas-Flow Control System Adaptable to Gas Field Production* (Tech. Art.) JPT Mar., 253

MEADOR, B. D. and RUSSELL, J. R.: *Vertical Turbine vs Positive-Displacement Pumps Used in Waterflood Operations*, (Tech. Art.) JPT Feb., 139

MEADOW CREEK UNIT: *See* Wyoming

MEADOWS GAS STORAGE UNIT: *See* New Jersey

MEASUREMENT: electrical resistivity: prediction of relative permeability characteristics of intergranular reservoir rocks, JPT May, 564
positive displacement meters: meter factor variations and factors affecting accuracy, (Tech. Art.) JPT Aug., 841
solvent production in miscible phase oil recovery operations, (Tech. Art.) JPT May, 519

MELTON, C. G. and COOK, R. L.: *Water-Lift and Disposal Operations in Low-Pressure Shallow Gas Wells*, (Tech. Art.) JPT June, 619

MELTON, L. L. and MALONE, W. T.: *Fluid Mechanics Research and Engineering Application in Non-Newtonian Fluid Systems*, SPEJ Mar., 56

MEMBERSHIP: AIME: new institute programs provide improved services, (Tech. Art.) JPT June, 659
SPE: committee proposes revised symbols list, (Tech. Art.) JPT June, 649

METALS: nature of fatigue, (Tech. Art.) JPT Aug., 869

METERS: positive displacement: meter factor variations and factors affecting accuracy, (Tech. Art.) JPT Aug., 841

METHOD OF CHARACTERISTICS: use in numerical calculation of multi-dimensional miscible displacement, SPEJ Mar., 26

METHOD OF SIMILARITY: dimensionless groups and variables, (Tech. Art.) JPT Aug., 877

MEYER, K. E.: *Recent Performance and Outlook for Petroleum Securities*, (Tech. Art.) JPT June, 633

MEYER, W. K. and TABER, J. J.: *Investigation of Miscible Displacement of Aqueous and Oleic Phases From Porous Media*, SPEJ Mar., 37

MICHAELS, A. S., et al: *Effect of Chromatographic Transport in Hexylamine on Displacement of Oil by Water in Porous Media*, SPEJ Sept., 231

MICROLOG: in combination with induction log, digital computer programming for automatic analysis, (Tech. Art.) JPT Jan., 35

MIDLAND FARMS FIELD: *See* Texas

MIESCH, E. P. and CRAWFORD, P. B.: *Effect of Proximity of Permeable and Impermeable Lenses on Well Performance*, SPEJ Dec., 285

MIGNOTTE, H. X. and VAN WINKLE, W.: *Implosive Shock Treatment of Injection Wells*, (Tech. Art.) JPT Feb., 128

MINING: salt solution: mechanism of flow and controlled dissolution, SPEJ Dec., 317

MISCIBLE DISPLACEMENT: aqueous and oleic phases from porous media, investigation of, SPEJ Mar., 37
Bisti: solvent production during three years of unit operations, (Tech. Art.) JPT May, 515
experimental and calculated performance in stratified reservoirs, JPT Nov., 1289
experimental computations based on "Monte Carlo" model, SPEJ Sept., 215
laboratory studies of effect of gravity segregation in vertical unconsolidated sand, SPEJ Mar., 1
Meadow Creek unit Lakota "B" combination water-miscible flood, (Tech. Art.) JPT Sept., 993
measuring solvent production in oil recovery operations, (Tech. Art.) JPT May, 519
multidimensional: numerical calculation by method of characteristics, SPEJ Mar., 26
performance of a flood with alternate gas-water displacement, (Tech. Art.) JPT Apr., 372
pressure maintenance by fluid injection in North Pembina, Cardium unit, No. 1, (Tech. Art.) JPT Sept., 977
stability considerations in downward direction, SPEJ Dec., 356

MIXTURES: hydrocarbons: light: gas-phase viscosity, SPEJ Sept., 247
multicomponent: cricondentherm and cricondenbar pressures, SPEJ Sept., 240
ternary: prediction of *K*-values for conditions up to critical point, SPEJ Dec., 329

MOBILITY RATIO: arbitrary values: prediction of waterflood performance, JPT Jan., 95
control: improving secondary recovery by, JPT Aug., 911; discussion, JPT Dec., 1430
effect on areal sweepout behavior in a nine-spot injection pattern, JPT Feb., 199
model studies of inverted nine-spot injection pattern, JPT July, 801
use in numerical method for computing dynamical behavior of fluid-fluid interfaces in permeable media, SPEJ June, 158 and 171

MODELS: casing: behavior of casing subjected to salt loading, JPT Sept., 1069
electrical resistivity and thermal: effect of proximity of permeable and impermeable lenses on well performance, SPEJ Dec., 285
floating rigs: using basin tests to predict motion characteristics, (Tech. Art.) JPT Dec., 1361
flow and mathematical: dead-end pore volume and dispersion in porous media, SPEJ Mar., 73; discussion, SPEJ Sept., 282
full scale: experimentally determined resistivity profiles in invaded water and oil sands for linear flows, JPT Mar., 337
general: predicting waterflood behavior in a stratified system, SPEJ June, 149
Hele-Shaw: flow in heterogeneous type, SPEJ Dec., 307
linear and non-linear: laboratory studies of water floods using polymer solutions to increase oil recoveries, JPT Aug., 917
mathematical: performance of miscible floods in stratified reservoirs, JPT Nov., 1289
mathematical, one-dimensional linear: vaporization-condensation phenomenon in linear heat wave, SPEJ June, 85
mathematical and sand-packed: numerical calculation of multidimensional miscible displacement by method of characteristics, SPEJ Mar., 26
Monte Carlo: use in macroscopic dispersion, SPEJ Sept., 215
packed, glass tubes: stability considerations in downward miscible displacements, SPEJ Dec., 356
porous plate: studies of inverted nine-spot injection pattern, JPT July, 801
potentiometric: systematic study of gas and water coning, JPT Aug., 923
sandpacked, flow: areal sweepout behavior in a nine-spot injection pattern, JPT Feb., 199
simplified, mathematical: conduction heating in systems of limited permeability, SPEJ Dec., 335
spherical: for study of mechanism of flow and controlled dissolution of salt in solution mining, SPEJ Dec., 317
unconsolidated sand bed and glass grid: effect of chromato-

graphic transport in hexylamine on displacement of oil by water in porous media, SPEJ Sept., 231
use of methods of similarity, (Tech. Art.) JPT Aug., 877
MONTANA: Cedar Creek anticline: progress report on cement bond logging, (Tech. Art.) JPT Oct., 1117
MORRIS, R. L., et al: *Using Compressional and Shear Acoustic Amplitudes for The Location of Fractures*, (Tech. Art.) JPT June, 623
MORROW FORMATION: *See* Oklahoma
MUNGAN, N.: *Role of Wettability and Interfacial Tension in Water Flooding*, SPEJ June, 115
MURPHY, R. P. and OWENS, W. W.: *Time-Lapse Logging, A Valuable Reservoir Evaluation Technique*, (Tech. Art.) JPT Jan., 15

N

NABOR, G. W. and BARHAM, R. H.: *Linear Aquifer Behavior*, JPT May, 561
NATURAL GAS: *See also* Gas
approximate method for non-Darcy radial flow, SPEJ June, 96
case history of producing, engineering and purchasing, (Tech. Art.) JPT July, 719
Europe: new horizons, (Tech. Art.) JPT May, 499
liquid: cryogenic in-ground storage, (Tech. Art.) JPT Apr., 393
standardization of well tests, (Tech. Art.) JPT Oct., 1113
storage, underground: logging observation wells, (Tech. Art.) JPT July, 745
mechanism of dissolution of salt in formation of cavities, SPEJ June, 183
NEILL, G. H., et al: *Field and Laboratory Results of Carbon Dioxide and Nitrogen in Well Stimulation*, (Tech. Art.) JPT Mar., 244
NETTLE, R. L., et al: *Prediction of Relative Permeability Characteristics of Intergranular Reservoir Rocks from Electrical Resistivity Measurements*, JPT May, 564
NEUTRON LIFETIME LOG: a new nuclear log, JPT Mar., 319
NEW JERSEY: Meadows gas storage unit: cryogenic in-ground storage, (Tech. Art.) JPT Apr., 393
NEW MEXICO: Central Bisti unit: measuring solvent production in miscible phase oil recovery operations, (Tech. Art.) JPT May, 519
solvent production during three years of unit operations, (Tech. Art.) JPT May, 515
Horseshoe Gallup field: vertical turbine vs positive-displacement pumps used in waterflood operations, (Tech. Art.) JPT Feb., 139
water injection project, (Tech. Art.) JPT Oct., 1101
North Anderson Ranch (Wolfcamp) field: practical application of interference tests, (Tech. Art.) JPT Mar., 249
San Juan basin: field results of electromagnetic casing inspection log, (Tech. Art.) JPT Apr., 377
Yates sand: use of carbon dioxide for water injectivity improvement, (Tech. Art.) JPT Jan., 25
NEWHALL-POTRERO FIELD: *See* California
NITROGEN: field and laboratory results in well stimulation, (Tech. Art.) JPT Mar., 244
NOMOGRAPH: determining hole factor from acoustic amplitude ratio, (Tech. Art.) JPT Nov., 1243
NON-NEWTONIAN SYSTEMS: fluid mechanics research and engineering application, SPEJ Mar., 56
NORTH ANDERSON RANCH FIELD: *See* New Mexico
NORTHEAST JONES AREA: *See* Oklahoma
NORTHERN, I. G.: *Investment Decisions in Petroleum Exploration and Production*, (Tech. Art.) JPT July, 727
NUCLEAR EXPLOSION: effects on oil reservoir stimulation, (Tech. Art.) JPT May, 473
NUCLEAR LOGGING: fluid travel log, (Tech. Art.) JPT Aug., 851
neutron lifetime log, JPT Mar., 319
NUCLEAR MAGNETISM LOG: field results,, (Tech. Art.) JPT Feb., 150
NUMERICAL SOLUTION: calculation of oil displacement by counter-current water imbibition, SPEJ Sept., 195
computing dynamical behavior of fluid-fluid interfaces in permeable media, SPEJ June, 158 and 171
displacement of oil and water by alcohol, SPEJ Sept., 250
integration of partial differential equation for transient linear flow of gas-condensate fluids in porous structures, SPEJ Dec., 291
methods of similarity, (Tech. Art.) JPT Aug., 877
performance of miscible floods in stratified reservoirs, JPT Nov., 1289
simplified model of conduction heating in systems of limited permeability, SPEJ Dec., 335
transient pressure behavior in vertically fractured reservoirs, JPT Oct., 1159
use of two-dimensional methods for calculating well coning behavior, SPEJ Dec., 345
viscosities of reservoir fluids from their compositions, JPT Oct., 1171

O

ODEH, A. S. and HAVLENA, D.: *The Material Balance as an Equation of a Straight Line—Part II, Field Cases*, JPT July, 815
OEFELEIN, F. H. and WALKER, J. W.: *California Flood Yields Profitable Recovery of Heavy Oil from Multilayered Reservoir*, (Tech. Art.) JPT May, 509
OFFSHORE DRILLING: effects of drilling vessel pitch or roll on kelly and drill pipe fatigue, JPT Jan., 77
from floating platforms, (Tech. Art.) JPT June, 605
underwater drilling and completion methods, (Tech. Art.) JPT June, 595
using model basin tests to predict motion characteristics of floating rigs, (Tech. Art.) JPT Dec., 1361
OIL INDUSTRY: Germany, (Tech. Art.) JPT June, 589
glances at international operations, (Tech. Art.) JPT Sept., 973
recent performance and outlook for securities, (Tech. Art.) JPT June, 633
OIL RECOVERY: applying frontal advance equation to vertical segregation reservoirs, JPT Jan., 87
California flood yields profitable recovery of heavy oil from multilayered reservoir, (Tech. Art.) JPT May, 509
laboratory and field studies of water floods using polymer solutions to increase, JPT Aug., 917
measuring solvent production in miscible phase oil operations, (Tech. Art.) JPT May, 519
use of fluid-fluid interfaces to predict behavior of processes, SPEJ June, 171
utilization of a flash-differential process to increase stock-tank recovery, (Tech. Art.) JPT Sept., 998
water flooding: effect of light-gasoline injection, JPT Nov., 1307
OIL RESERVOIR: effects of nuclear explosions on stimulation, (Tech. Art.) JPT May, 473
Louisiana, Erath field, Broussard sand: early performance review of successful pressure maintenance project, (Tech. Art.) JPT Dec., 1357
rapid methods for estimating compressibilities, JPT Apr., 447
OIL WELLS: cementing geothermal wells, JPT Dec., 1425
use of two-dimensional methods for calculating coning behavior, SPEJ Dec., 345
OKLAHOMA: Chester and Morrow formations: results of carbon dioxide addition in well stimulation, (Tech. Art.) JPT Mar., 244
Healdton-Arbuckle field: nuclear magnetism logging field results, (Tech. Art.) JPT Feb., 150
Hugoton field: water-lift and disposal operations in low-pressure shallow gas wells, (Tech. Art.) JPT June, 619
Northeast Jones area: successful peripheral water flood in a thin Pennsylvanian reservoir, (Tech. Art.) JPT Nov., 1238
Red Oak field: nuclear magnetism logging field results, (Tech. Art.) JPT Feb., 150
Southeast Flynn field: nuclear magnetism logging field results, (Tech. Art.) JPT Feb., 150
SW Wayne field: field results of electromagnetic casing inspection log, (Tech. Art.) JPT Apr., 377
University: recruiting and training gifted students, (Tech. Art.) JPT Nov., 1215
Wayside sand: use of carbon dioxide for water injectivity improvement, (Tech. Art.) JPT Jan., 25
OLIVER, F. L. and LATIMER, J. R., JR.: *The Fairway Field of East Texas: Its Development and Efforts Toward*

Unitization, (Tech. Art.) JPT Feb., 133
OLMOS NAVARRO SANDSTONE: *See* Texas
OPERATIONS: study of the new Humble organization, (Tech. Art.) JPT Apr., 395
ORGANIZATION: a study of the new Humble, (Tech. Art.) JPT Apr., 395
OSCUROTE, NORTH: *See* Venezuela
OSHRY, H. I., et al: *Neutron Lifetime, a New Nuclear Log*, JPT Mar., 319
OSTROOT, G. W. and SHRYOCK, S., JR.: *Cementing Geothermal Steam Wells*, JPT Dec., 1425
OUZTS, J. M.: *A Field Comparison of Methods of Evaluating Remedial Work on Water Injection Wells* (Tech. Art.) JPT Oct., 1121
OWENS, W. W. and MURPHY, R. P.: *Time-Lapse Logging. A Valuable Reservoir Evaluation Technique*, (Tech. Art.) JPT Jan., 15
OZONA GAS AREA: *See* Texas

P

PANHANDLE FIELD: *See* Texas
PARSONS, R. W.: *Discussion on Directional Permeability of Heterogeneous Anisotropic Porous Media*, SPEJ Dec., 363
PEACEMAN, D. W., et al: *Numerical Calculation of Multidimensional Miscible Displacement by the Method of Characteristics*, SPEJ Mar., 26
PEMBINA CARDIUM FIELD: *See* Canada
PERFORATIONS: sealing: field results of stressed steel liner casing patch, (Tech. Art.) JPT Feb., 147
PERFORMANCE PREDICTIONS: aids to forecasting water floods, JPT Sept., 1076
  applying frontal advance equation to vertical segregation reservoirs, JPT Jan., 87
  arbitrary well patterns and mobility ratios in water flood, JPT Jan., 95
  carbonated water flooding, calculation method for, SPEJ Mar., 9; discussion, 18
  decline and forecast studies based on selected California oilfields, (Tech. Art.) JPT Sept., 959
  material balance as an equation of a straight line, Part II, field cases, JPT July, 815
  miscible floods: stratified reservoirs, JPT Nov., 1289
  with alternate gas-water displacement, (Tech. Art.) JPT Apr., 372
  oil recovery processes: use of fluid-fluid interfaces, SPEJ June, 171
  significance of partial pressure maintenance by fluid injection, (Tech. Art.) JPT Jan., 20
  water flooding: behavior in a stratified system, SPEJ June, 149
    comparison with pilot performance in carbonate reservoirs, (Tech. Art.) JPT Mar., 276
PERMEABILITY: directional: heterogeneous anisotropic porous media, SPEJ June, 124; discussion, SPEJ Dec., 363
  effect of: bacteria on sandstone cores, JPT July, 805
    proximity of lenses on well performance, SPEJ Dec., 285
  influence of chemical composition of water on clay blocking, JPT Apr., 441
  limited: simplified model of conduction heating, SPEJ Dec., 335
  porous media to gas: effect of foam, SPEJ Sept., 267
  relative: prediction of characteristics of intergranular reservoir rocks from electrical resistivity measurements, JPT May, 564
  restoration of water-damaged cores, JPT Dec., 1405
  stratified: experimental and calculated performance of miscible floods, JPT Nov., 1289
    prediction of waterflood behavior, SPEJ June, 149
PERSONNEL: latent creativity—an undeveloped natural resource, (Tech. Art.) JPT Nov., 1225
  management: selection from engineering ranks, (Tech. Art.) JPT Feb., 125
PETROLEUM ECONOMICS: *See* Economics
PETROLEUM ENGINEERING: realistic development, (Tech. Art.) JPT Sept., 947
  USL students undertake outstanding engineering project, (Tech. Art.) JPT Feb., 169
PETROLEUM ENGINEERS: responsibility in meeting exploration demands in the future, (Tech. Art.) JPT Mar., 239
PHYSICAL PROPERTIES: frozen soil and ice, SPEJ Mar., 67
PICKTON FIELD: *See* Texas
PILOT FLOODS: comparison of performance with waterflood prediction methods in carbonate reservoirs, (Tech. Art.) JPT Mar., 276
  McElroy field: water flooding in a dolomite reservoir, (Tech. Art.) JPT Dec., 1345
PIPE: drag reduction characteristics of solutions of macromolecules in turbulent flow, SPEJ Sept., 203
  drill, fatigue: effects of drilling vessel pitch or roll, JPT Jan., 77
  nature of fatigue, (Tech. Art.) JPT Aug., 869
PIPELINE: El Capitan source water system, (Tech. Art.) JPT Dec., 1351
PIRSON, S. J., et al: *Prediction of Relative Permeability Characteristics of Intergranular Reservoir Rocks from Electrical Resistivity Measurements*, JPT May, 564
PIZZI, G., et al: *A Systematic Study of Gas and Water Coning by Potentiometric Models*, JPT Aug., 923
POLLARD, T. A. and SCHILSON, R. E.: *Relationship Between Density and Specific Weight*, (Tech. Art.) JPT June, 657
POLYMERS: laboratory and field studies of water floods using solutions to increase oil recoveries, JPT Aug., 917
PORE VOLUME: dead-end: in porous media, SPEJ Mar., 73; discussion, SPEJ Sept., 282
  gas-filled: determining for a water-drive gas-storage reservoir, (Tech. Art.) JPT Apr., 383
POROUS MEDIA: *See also* Reservoir Rocks
  anisotropic, heterogeneous: directional permeability, SPEJ June, 124; discussion, SPEJ Dec., 363
  approximate method for non-Darcy radial gas flow, SPEJ June, 96
  calculation of oil displacement by counter-current water imbibition, SPEJ Sept., 195
  dead-end pore volume and dispersion, SPEJ Mar., 73; discussion, SPEJ Sept., 282
  distribution of oil phase obtained upon imbibition of water, SPEJ Mar., 49
  effect of: chromatographic transport in hexylamine on displacement of oil by water, SPEJ Sept., 231
    foam on permeability to gas, SPEJ Sept., 267
    gravity segregation in laboratory studies of miscible displacement in vertical unconsolidated sand, SPEJ Mar., 1
  flow in heterogeneous Hele-Shaw models, SPEJ Dec., 307
  instability in water flooding oil from reservoir containing connate water, SPEJ June, 133
  integration of partial differential equation for transient linear flow of gas-condensate fluids, SPEJ Dec., 291
  investigation of miscible displacement of aqueous and oleic phases, SPEJ Mar., 37
  macroscopic dispersion, SPEJ Sept., 215
  mathematical theory for displacement of oil and water by alcohol, SPEJ Sept., 250
  numerical method for computing dynamical behavior of fluid-fluid interfaces, SPEJ June, 158
  vaporization-condensation phenomenon in a linear heat wave, SPEJ June, 85
PORTER, M. C., et al: *Effect of Chromatographic Transport in Hexylamine on Displacement of Oil by Water in Porous Media*, SPEJ Sept., 231
POWER, H. H.: *The Realistic Development of Petroleum Engineering*, (Tech. Art.) JPT Sept., 947
POZZI, A. L., JR., et al: *Numerical Calculation of Multidimensional Miscible Displacement by the Method of Characteristics*, SPEJ Mar., 26
PRESSURE BEHAVIOR: cricondenbar of multicomponent hydrocarbon mixtures, SPEJ Sept., 240
  practical application of interference tests, (Tech. Art.) JPT Mar., 249
  transient: vertically fractured reservoirs, JPT Oct., 1159
PRESSURE BUILD-UP ANALYSIS: use in rapid methods for estimating reservoir compressibilities, JPT Apr., 447
PRESSURE GRADIENTS: effect of liquid viscosity in continuous two-phase flow in vertical conduits, JPT Feb., 203
PRESSURE MAINTENANCE: *See* Gas and LPG Injection, Miscible Displacement, Thermal Recovery of Oil and Water Flooding
PRINGLE, E. M. and HERBECK, E. F.: *Horseshoe-Gallup Water Injection Project—An Engineering Challenge*,

(Tech. Art.) JPT Oct., 1101
PRINGLE, J. K. and AUSTIN, C. F.: *Detailed Response of Some Rock Targets to Jets from Lined-Cavity Shaped Charges*, (Tech. Art.) JPT Jan., 41
PROCTOR, R. C.: *Cryogenic In-Ground Storage*, (Tech. Art.) JPT Apr., 393
PRODUCTION: advancements through 15 years of fracturing, (Tech. Art.) JPT July, 760
decline and forecast studies based on performances of selected California oilfields, (Tech. Art.) JPT Sept., 959
German oil industry, (Tech. Art.) JPT June, 589
investment decisions, (Tech. Art.) JPT July, 727
Ozona gas area, Texas: case history, (Tech. Art.) JPT July, 719
PRODUCTION OPERATIONS: automatic gas-flow control system adaptable to gas field, (Tech. Art.) JPT Mar., 253
friction pressure reducers in well stimulation, (Tech. Art.) JPT Aug., 865
gas well automation, (Tech. Art.) JPT Aug., 873
instrumentation for simplified commingling and well testing operations, (Tech. Art.) JPT July, 732
meter factor variations and factors affecting accuracy of positive displacement meters, (Tech. Art.) JPT Aug., 841
several Big Horn Basin fields monitored from one point, (Tech. Art.) JPT Sept., 983
water-lift and disposal in low-pressure shallow gas wells, (Tech. Art.) JPT June, 619
PROFESSIONAL SOCIETIES: actions of the AIME board, (Tech. Art.) JPT Aug., 891
AIME: facilitating registration of members as professional engineers, (Tech. Art.) JPT July, 775
new institute programs provide improved services to members, (Tech. Art.) JPT June, 659
engineering societies become active in governmental programs, (Tech. Art.) JPT May, 529
role in engineering education and accreditation, (Tech. Art.) JPT Mar., 265
SPE: committee proposes revised symbols list to membership, (Tech. Art.) JPT June, 649
woman's auxiliary effectively combats student shortage, (Tech. Art.) JPT July, 785
PROFESSIONALISM: philosophy of Herbert Hoover, (Tech. Art.) JPT Jan., 12
program for improving technical competence of SPE members, (Tech. Art.) JPT Dec., 1337
proper use of common sense and engineering in secondary recovery, (Tech. Art.) JPT Sept., 1003
realistic development of petroleum engineering, (Tech. Art.) JPT Sept., 947
responsibility of geologists and petroleum engineers in meeting exploration demands in future, (Tech. Art.) JPT Mar., 239
PROFITABILITY INDEXES: relation to earning power, (Tech. Art.) JPT Mar., 269
PROPERTIES: petroleum: methods and procedures for estimating fair-market value, (Tech. Art.) JPT May, 481
physical: relationship between density and specific weight, (Tech. Art.) JPT June, 657
PRUITT, G. T., et al: *Field and Laboratory Results of Carbon Dioxide and Nitrogen in Well Stimulation*, (Tech. Art.) JPT Mar., 244
PUMPS: positive-displacement: vs vertical turbine used in waterflood operations, (Tech. Art.) JPT Feb., 139
PUTMAN, L.: *A Progress Report on Cement Bond Logging*, (Tech. Art.) JPT Oct., 1117
PYE, D. J.: *Improved Secondary Recovery by Control of Water Mobility*, JPT Aug., 911; discussion, JPT Dec., 1439

R

RACHFORD, H. H., JR.: *Instability in Water Flooding Oil from Water-Wet Porous Media Containing Connate Water*, SPEJ June, 133
RAIMONDI, P. and TORCASO, M. A.: *Distribution of the Oil Phase Obtained Upon Imbibition of Water*, SPEJ Mar., 49
RAMEY, H. J., JR.: *Rapid Methods for Estimating Reservoir Compressibilities*, JPT Apr., 447
RAMSAY, H. J., JR. and SMALL, F. R.: *Use of Carbon Dioxide for Water Injectivity Improvement*, (Tech. Art.) JPT Jan., 25
RAPOPORT, L. A., et al: *Determination of Aquifer Influence Functions From Field Data*, JPT Dec., 1417
RAUSCH, R. W. and BEAVER, K. W.: *Case History of Successfully Water Flooding a Fractured Sandstone*, (Tech. Art.) JPT Nov., 1233
RAWSON, D. E., et al: *Effects of Nuclear Explosions on Oil Reservoir Stimulation*, (Tech. Art.) JPT May, 473
READER, P. J., et al: *Significance of Partial Pressure Maintenance by Fluid Injection*, (Tech. Art.) JPT Jan., 20
RECRUITING: gifted students—operation manpower, (Tech. Art.) JPT Nov., 1215
RED OAK FIELD: *See* Oklahoma
REGISTRATION: AIME members as professional engineers, (Tech. Art.) JPT July, 775
RELATIVE PERMEABILITY: prediction of characteristics of intergranular reservoir rocks from electrical resistivity measurements, JPT May, 564
RESERVES: German oil industry, (Tech. Art.) JPT June, 589
RESERVOIR ANALYSIS: decline and forecast studies based on performances of selected California oil fields, (Tech. Art.) JPT Sept., 959
RESERVOIR FLUIDS: calculating viscosities from compositions, JPT Oct., 1171
RESERVOIR ROCKS: *See also* Porous Media
full-scale experiments on jets in impermeable rock drilling, JPT Mar., 329
intergranular: prediction of relative permeability characteristics from electrical resistivity measurements, JPT May, 564
RESERVOIR STIMULATION: effects of nuclear explosions on oil production, (Tech. Art.) JPT May, 473
RESERVOIRS: *See also* type, such as, Bottom-Water Drive, Gravity Drainage, Solution-Gas Drive, Water Drive and Gas-Cap Drive and specific names
carbonate: waterflood prediction methods compared to pilot performance, (Tech. Art.) JPT Mar., 276
dolomite: pilot water flooding in McElroy field, (Tech. Art.) JPT Dec., 1345
gas and oil: rapid methods for estimating compressibilities, JPT Apr., 447
Pennsylvanian: successful peripheral water flood in thin zone, (Tech. Art.) JPT Nov., 1238
stratified: experimental and calculated performance of miscible floods, JPT Nov., 1289
time-lapsed logging, a valuable evaluation technique, (Tech. Art.) JPT Jan., 15
vertically fractured: transient pressure behavior, JPT Oct., 1159
vertical segregation: applying frontal advance equation, JPT Jan., 87
RESISTIVITY: electrical measurements: prediction of relative permeability characteristics of intergranular reservoir rocks, JPT May, 564
experimentally determined profiles in invaded water and oil sands for linear flows, JPT Mar., 337
REVERSE COMBUSTION: *See* Thermal Recovery of Oil
RHEOLOGY: fluid mechanics research and engineering application in non-Newtonian fluid systems, SPEJ Mar., 56
RHOADES, M. C.: *Meter Factor Variations and Factors Affecting the Accuracy of Positive Displacement Meters*, (Tech. Art.) JPT Aug., 841
RIDDLE, G. A. and ANDERSON, W. L.: *Acoustic Amplitude Ratio Logging*, (Tech. Art.) JPT Nov., 1243
ROCK MECHANICS: detailed response of some rock targets to jets from lined-cavity shaped charges, (Tech. Art.) JPT Jan., 41
ROEBUCK, I. F., JR. and CRAIN, L. L.: *Water Flooding a High Water-Cut Strawn Sand Reservoir*, (Tech. Art.) JPT Aug., 845
ROGERS, W. F., et al: *The Effect of Bacteria on Sandstone Permeability*, JPT July, 805
ROSE, W.: *Discussion on Dead-End Pore Volume and Dispersion in Porous Media*, SPEJ Sept., 282
ROWAN, G. and CLEGG, M. W.: *An Approximate Method for Non-Darcy Radial Gas Flow*, SPEJ June, 96
RUSSELL, D. G. and TRUITT, N. E.: *Transient Pressure Behavior in Vertically Fractured Reservoirs*, JPT Oct., 1159

RUSSELL, J. E.: *The Proper Use of Common Sense and Engineering in Secondary Recovery*, (Tech. Art.) JPT Sept., 1003

RUSSELL, J. R. and MEADOR, B. D.: *Vertical Turbine vs Positive-Displacement Pumps Used in Waterflood Operations*, (Tech. Art.) JPT Feb., 139

S

SACROC UNIT: *See* Kelly-Snyder field, Texas

SALT: behavior of casing when subjected to loading, JPT Sept., 1069
dissolution process: influence of surface features, SPEJ Sept., 275
mechanism of: dissolution in formation of underground cavities, SPEJ June, 183
flow and controlled dissolution in solution mining, SPEJ Dec., 317

SALT CREEK FIELD: *See* Wyoming

SAN ANDRES FORMATION: *See* Texas

SAN JOAQUIN VALLEY: *See* California

SAN JUAN BASIN: *See* New Mexico

SAND CONTROL: warm-air coking: new completion method for unconsolidated sands, (Tech. Art.) JPT Apr., 367

SANDIFORD, B. B.: *Laboratory and Field Studies of Water Floods Using Polymer Solutions to Increase Oil Reserves*, JPT Aug., 917

SANDS: effect of pressure and fluid saturation on attenuation of elastic waves, JPT Feb., 189
invaded water and oil: experimentally determined resistivity profiles for linear flows, JPT Mar., 337
shaly: increasing injectivity with chemicals, (Tech. Art.) JPT Oct., 1107

SANDSTONES: effect of bacteria on permeability, JPT July, 805
fractured: case history of successfully water flooding, (Tech. Art.) JPT Nov., 1233

SAUDIA ARABIA: visit by Joe B. Alford, (Tech. Art.) JPT May, 527

SAVINS, J. G.: *Drag Reduction Characteristics of Solutions of Macromolecules In Turbulent Pipe Flow*, SPEJ Sept., 203

SCHILSON, R. E.: *Methods of Similarity*, (Tech. Art.) JPT Aug., 877

SCHILSON, R. E. and POLLARD, T. A.: *Relationship Between Density and Specific Weight*, (Tech. Art.) JPT June, 657

SCHOLARSHIPS: use by woman's auxiliary of AIME to effectively combat student shortage, (Tech. Art.) JPT July, 785

SECOND WALL CREEK SAND: *See* Wyoming

SECONDARY RECOVERY: *See also* Gas and LPG Injection, Miscible Displacement, Thermal Recovery of Oil and Water Flooding
improving by control of water mobility, JPT Aug., 911; discussion, JPT Dec., 1430
proper use of common sense and engineering, (Tech. Art.) JPT Sept., 1003

SEPARATION: utilization of a flash-differential process to increase recovery, (Tech. Art.) JPT Sept., 998

SHALLENBERGER, L. K., et al: *Directional Permeability of Heterogeneous Anisotropic Porous Media*, SPEJ June, 124; discussion, SPEJ Dec., 363
Flow in Heterogeneous Hele-Shaw Models, SPEJ Dec., 307

SHANE, L., et al: *Nuclear Magnetism Logging Field Results*, (Tech. Art.) JPT Feb., 150

SHAPED CHARGES: lined-cavity: detailed response of some rock targets to jets, (Tech. Art.) JPT Jan., 41

SHEA, G. B., et al: *Decline and Forecast Studies Based on Performances of Selected California Oilfields*, (Tech. Art.) JPT Sept., 959

SHEARIN, H. M. and KUBITZ, J. R.: *Producer-Engineer-Purchaser . . . A Case History*, (Tech. Art.) JPT July, 719

SHELDON, J. W. and DOUGHERTY, E. L.: *A Numerical Method for Computing the Dynamical Behavior of Fluid-Fluid Interfaces in Permeable Media*, SPEJ June, 158
The Use of Fluid-Fluid Interfaces to Predict the Behavior of Oil Recovery Processes, SPEJ June, 171

SHERWOOD, J., et al: *The Fluid Travel Log*, (Tech. Art.) JPT Aug., 851

SHIELDS, C. M.: *Marine Drilling and Well Completions from Floating Platforms*, (Tech. Art.) JPT June, 667

SHRYOCK, S., Jr. and OSTROOT, G. W.: *Cementing Geothermal Steam Wells*, JPT Dec., 1425

SILBERBERG, I. H., et al: *Model Studies of the Inverted Nine-Spot Injection Pattern*, JPT July, 801

SILBERGH, M. and BRONS, F.: *The Relation of Earning Power to Other Profitability Criteria*, (Tech. Art.) JPT Mar., 269

SKIBA, F. F., and WARREN, J. E.: *Macroscopic Dispersion*, SPEJ Sept., 215

SLAUGHTER FIELD: *See* Texas

SLOBOD, R. L. and HOWLETT, W. E.: *The Effect of Gravity Segregation in Laboratory Studies of Miscible Displacement in Vertical Unconsolidated Porous Media*, SPEJ Mar., 1

SLUG PROCESS: *See* Miscible Displacement

SMALL, F. R. and RAMSAY, H. J., JR.: *Use of Carbon Dioxide for Water Injectivity Improvement*, (Tech. Art.) JPT Jan., 25

SMIALEK, R. J. and THODOS, G.: *Prediction of K-Values for Ternary Hydrocarbon Systems: Conditions up to the Critical Point*, SPEJ Dec., 329

SMITH, B. D. and COATS, K. H.: *Dead-End Pore Volume and Dispersion in Porous Media*, SPEJ Mar., 73; discussion, SPEJ Sept., 282

SMITH, F. M., et al: *Warm-Air Coking—A New Completion Method for Unconsolidated Sands*, (Tech. Art.) JPT Apr., 367

SOLVENT FLOODING: Bisti: production during three years of unit operations, (Tech. Art.) JPT May, 515
measuring production in miscible phase oil recovery operations, (Tech. Art.) JPT May, 519
use of fluid-fluid interfaces to predict behavior, SPEJ June, 171

SONIC LOGGING: *See* Acoustic Velocity Logging

SOUTHEAST FLYNN FIELD: *See* Oklahoma

SOUTHWICK, S. H. and ADAIR, T. W., III: *Digital Computer Programming for Automatic Analysis of Well Logs*, (Tech. Art.) JPT Jan., 35

SPACING: dual: formation density log, JPT Dec., 1411

SPE: program for improving the technical competence of members, (Tech. Art.) JPT Dec., 1337

SPECIFIC WEIGHT: relationship with density, (Tech. Art.) JPT June, 657

SPRABERRY FORMATION: *See* Texas

SQUIRREL SAND: *See* Kansas

STABILITY: considerations in downward miscible displacements, SPEJ Dec., 356

STANCELL, A., et al: *Effect of Chromatographic Transport in Hexylamine on Displacement of Oil by Water in Porous Media*, SPEJ Sept., 221

STANDARD OIL (N.J.): the new Humble—a study in organization, (Tech. Art.) JPT Apr., 395

STANDING, M. B.: *Discussion on Linear-Barrier Detection by Well Pressure Measurements*, (Tech. Art.) JPT Mar., 259

STEAM INJECTION: *See* Thermal Recovery of Oil

STEPHENSON, T. B., et al: *Nuclear Magnetism Logging Field Results*, (Tech. Art.) JPT Feb., 150

STEWART, J. A., et al: *The Effect of Bacteria on Sandstone Permeability*, JPT July, 805

STOCK TANKS: utilization of a flash-differential process to increase recovery, (Tech. Art.) JPT Sept., 998

STOCKS: recent performance and outlook for petroleum securities, (Tech. Art.) JPT June, 633

STORAGE: determining gas-filled pore volume in water-drive gas reservoir, (Tech. Art.) JPT Apr., 383
gas: logging observation wells, (Tech. Art.) JPT July, 745
liquid natural gas: cryogenic in-ground, (Tech. Art.) JPT Apr., 393
underground: mechanism of dissolution of salt in formation of salt cavities, SPEJ June, 183
physical and thermal properties of frozen soil and ice, SPEJ Mar., 67

STRAIGHT-LINE METHOD: applied to material balance equation, Part II, field cases, JPT July, 815

STRATIFICATION: *See* Permeability: stratified
STROUD, S. G. and EDWARDS, J. M.: *Field Results of the Electromagnetic Casing Inspection Log*, (Tech. Art.) JPT Apr., 377
SUMNER, C. R., et al: *The Fluid Travel Log*, (Tech. Art.) JPT Aug., 851
SW WAYNE FIELD: *See* Oklahoma
SWEEP EFFICIENCY: model studies of inverted nine-spot injection pattern, JPT July, 801
prediction of waterflood performance for arbitrary well patterns and mobility ratios, JPT Jan., 95
SYMBOLS: committee proposes revised list to SPE membership, (Tech. Art.) JPT June, 649
SYMONDS, E.: *New Horizons for Gas in Europe*, (Tech. Art.) JPT May, 499

T

TABER, J. J. and MEYER, W. K.: *Investigations of Miscible Displacements of Aqueous and Oleic Phases From Porous Media*, SPEJ Mar., 37
TAYLOR, R. W.: *Actions of the AIME Board*, (Tech. Art.) JPT Aug., 891
Actions of the AIME Board, (Tech. Art.) JPT Nov., 1261
Case History: AIME Section Attacks Continuing Education Problem, (Tech. Art.) JPT Oct., 1137
New Institute Programs Provide Improved Services to Members, (Tech. Art.) JPT June, 659
WAAIME Effectively Combats Student Shortage, (Tech. Art.) JPT July, 785
TECHNICAL OBSOLESCENCE: program for improving technical competence of SPE members, (Tech. Art.) JPT Dec., 1337
time and effort budget for engineers, (Tech. Art.) JPT Aug., 859
TELEMETERING: several Big Horn Basin fields monitored from one point, (Tech. Art.) JPT Sept., 983
surface: practical solution to problem, (Tech. Art.) JPT May, 487
TEMPERATURE: cementing geothermal steam wells, JPT Dec., 1425
cricondentherm of multicomponent hydrocarbon mixtures, SPEJ Sept., 240
profiles: vaporization-condensation phenomenon in a linear heat wave, SPEJ June, 85
TESTING: gas wells: approximate method for non-Darcy radial gas flow, SPEJ June, 96
TERWILLIGER, P. L., et al: *Warm-Air Coking—A New Completion Method for Unconsolidated Sands*, (Tech. Art.) JPT Apr., 367
gas wells, standardization, (Tech. Art.) JPT Oct., 1113
using model basin to predict motion characteristics of floating rigs, (Tech. Art.) JPT Dec., 1361
well: instrumentation for operations, (Tech. Art.) JPT July, 732
TEXAS: Corsica unit: vertical turbine vs positive-displacement pumps used in waterflood operations, (Tech. Art.) JPT Feb., 139
East Alta Mesa field: nuclear magnetism logging field results, (Tech. Art.) JPT Feb., 150
East, Fairway field: development and efforts towards unitization, (Tech. Art.) JPT Feb., 133
Pickton field, review of successful gas injection project, (Tech. Art.) JPT Apr., 399; discussion 405
East Seymour Strawn field: water flooding a high water-cut sand reservoir, (Tech. Art.) JPT Aug., 845
El Capitan source water system, (Tech. Art.) JPT Dec., 1351
Foster field: waterflood prediction methods compared to pilot performance in carbonate reservoirs, (Tech. Art.) JPT Mar., 276
Foster-South Cowden unit: vertical turbine vs positive-displacement pumps used in waterflood operations, (Tech. Art.) JPT Feb., 139
Hugoton field: water-lift and disposal operations in low-pressure shallow gas wells, (Tech. Art.) JPT June, 619
Jameson field: results of carbon dioxide addition in well stimulation, (Tech. Art.) JPT Mar., 244
Kelly-Snyder field, SACROC unit: consolidation and LACT, (Tech. Art.) JPT July, 751
McElroy field: pilot water flooding in a dolomite reservoir, (Tech. Art.) JPT Dec., 1345
Midland Farms field: performance of miscible flood with alternate gas-water displacement, (Tech. Art.) JPT Apr., 372
Olmos Navarro sandstone and Yates sand: use of carbon dioxide for water injectivity improvement, (Tech. Art.) JPT Jan., 25
Ozona gas area: case history of producing, engineering and purchasing, (Tech. Art.) JPT July, 719
Panhandle field: waterflood prediction methods compared to pilot performance in carbonate reservoirs, (Tech. Art.) JPT Mar., 276
San Andres formation: results of carbon dioxide addition in well stimulation, ((Tech. Art.) JPT Mar., 244
Slaughter field: vertical turbine vs positive-displacement pumps used in waterflood operations, (Tech. Art.) JPT Feb., 139
Spraberry formation: results of nitrogen addition in well stimulation, (Tech. Art.) JPT Mar., 244
Welch field: waterflood prediction methods compared to pilot performance in carbonate reservoirs, (Tech. Art.) JPT Mar., 276
West: Block 31 field: results of nitrogen addition in well stimulation, (Tech. Art.) JPT Mar., 244
Wichita-Albany section: nuclear magnetism logging field results, (Tech. Art.) JPT Feb., 150
THERMAL PROPERTIES: frozen soil and ice, SPEJ Mar., 67
THERMAL RECOVERY OF OIL: use of fluid-fluid interfaces to predict behavior, SPEJ June, 171
vaporization-condensation phenomenon in a linear heat wave, SPEJ June, 85
THIEME, J. O. and WOLFE, L. H.: *Physical and Thermal Properties of Frozen Soil and Ice*, SPEJ Mar., 67
THODOS, G. and GRIEVES, R. B.: *The Cricondentherm and Cricondenbar Pressures of Multicomponent Hydrocarbon Mixtures*, SPEJ Sept., 240
THODOS, G. and SMIALEK, R. J.: *Prediction of K-Values For Ternary Hydrocarbon Systems: Conditions Up To the Critical Point*, SPEJ Dec., 329
THOMAS, G. W.: *Simplified Model of Conduction Heating in Systems of Limited Permeability*, SPEJ Dec., 335
TITTMAN, J., et al: *The Dual Spacing Formation Density Log*, JPT Dec., 1411
TORCASO, M. A. and RAIMONDI, P.: *Distribution of the Oil Phase Obtained Upon Imbibition of Water*, SPEJ Mar., 49
TORREY, P. D.: *The Oil Industry of Germany*, (Tech. Art.) JPT June, 589
TRAINING: gifted students—operation manpower, (Tech. Art.) JPT Nov., 1215
TRANSIENT FLOW: linear: aquifer behavior, JPT May, 561
integration of partial differential equation for gas-condensate fluids in porous structures, SPEJ Dec., 291
TRANSIENTS: pressure behavior in vertically fractured reservoirs, JPT Oct., 1159
TRUITT, N. E. and RUSSELL, D. G.: *Transient Pressure Behavior in Vertically Fractured Reservoirs*, JPT Oct., 1159
TUBING: nature of fatigue, (Tech. Art.) JPT Aug., 869

U

UINTAH BASIN: *See* Colorado
UNDERGROUND COMBUSTION: *See* Thermal Recovery of Oil
UNDERGROUND EXPLOSIONS: nuclear: effects on oil reservoir stimulation, (Tech. Art.) JPT May, 473
UNDERGROUND STORAGE: gas: determining gas-filled pore volume under water drive, (Tech. Art.) JPT Apr., 383
logging observation wells, (Tech. Art.) JPT July, 745
liquid natural gas: cryogenic in-ground storage, (Tech. Art.) JPT Apr., 393
mechanism of dissolution of salt in formation of cavities, SPEJ June, 183
physical and thermal properties of frozen soil and ice, SPEJ Mar., 67
UNDERSATURATED RESERVOIRS: applying material balance as equation of straight line, Part II, field cases, JPT July, 815
UNITIZATION: efforts toward Fairway field of East Texas, (Tech. Art.) JPT Feb., 133
UNIVERSITY OF SOUTHWESTERN LOUISIANA: students undertake

outstanding engineering project, (Tech. Art.) JPT Feb., 169
UTAH: Aneth field: results of carbon dioxide addition in well stimulation, (Tech. Art.) JPT Mar., 244

V

VALUATIONS: *See* Evaluations
VAN LEEUWEN, J. J. M. and FEENSTRA, R.: *Full-Scale Experiments on Jets in Impermeable Rock Drilling*, JPT Mar., 329
VAN WINKLE, W. and MIGNOTTE, H. X.: *Implosive Shock Treatment of Injection Wells*, (Tech. Art.) JPT Feb., 128
VELOCITY: effects of pressure and fluid saturation of elastic waves in sands, JPT Feb., 189
VELOCITY LOGGING: *See* Acoustic Velocity Logging
VENEZUELA: Guico field: application of material balance as equation of straight line, JPT July, 815
LL 370 reservoir: applying frontal advance equation to vertical segregation reservoirs, JPT Jan., 87
Oscurote, North: application of material balance as equation of straight line, JPT July, 815
VIRGINIA HILLS RESERVOIR: *See* Canada
VISCOSITY: calculating for reservoir fluids from their compositions, JPT Oct., 1171
correlation of light paraffin hydrocarbons and their mixtures in liquid and gaseous regions, JPT June, 679
gas-phase: hydrocarbon mixtures, SPEJ Sept., 247
liquid: effect in two-phase vertical flow, JPT Feb., 203
VOLUMETRIC BEHAVIOR: Bisti: solvent production during three years of unit operations, (Tech. Art.) JPT May, 515

W

WACHMANN, C.: *A Mathematical Theory for the Displacement of Oil and Water by Alcohol*, SPEJ Sept., 250
WAHL, J. S., et al: *The Dual Spacing Formation Density Log*, JPT Dec., 1411
WALKER, J. W. and OEFELEIN, F. H.: *California Flood Yields Profitable Recovery of Heavy Oil from Multilayered Reservoir*, (Tech. Art.) JPT May, 509
WALKER, T., et al: *The Fluid Travel Log*, (Tech. Art.) JPT Aug., 851
WALSH, J. K.: *Automation—Several Big Horn Basin Fields Monitored From One Point*, (Tech. Art.) JPT Sept., 983
WARM-AIR COKING: new completion method for unconsolidated sands, (Tech. Art.) JPT Apr., 367
WARREN, J. E. and COSGROVE, J. J.: *Prediction of Waterflood Behavior in a Stratified System*, SPEJ June, 149
WARREN, J. E. and SKIBA, F. F.: *Macroscopic Dispersion*, SPEJ Sept., 215
WATER: coning: systematic study by potentiometric models, JPT Aug., 923
use of two-dimensional methods for calculating well behavior, SPEJ Dec., 345
connate: instability in water flooding oil from water-wet porous media, SPEJ June, 133
improved secondary recovery by control of mobility, JPT Aug., 911; discussion, JPT, 1430
influence of chemical composition on clay blocking of permeability, JPT Apr., 441
lift and disposal operations in low-pressure shallow gas wells, (Tech. Art.) JPT June, 619
restoration of permeability to damaged cores, JPT Dec., 1405
WATER DRIVE: applying material balance as an equation of straight line, Part II, field cases, JPT July, 815
determining gas-filled pore volume in gas-storage reservoir, (Tech. Art.) JPT Apr., 383
WATER FLOODING: aids to forecasting performance, JPT Sept., 1076
Broussard sand: early performance review of successful pressure maintenance project in deep Louisiana oil reservoir, (Tech. Art.) JPT Dec., 1357
California flood yields profitable recovery of heavy oil from multilayered reservoir, (Tech. Art.) JPT May, 509
carbonated: calculation method for, SPEJ Mar., 9; discussion, 18
comparison of prediction methods with pilot performance in carbonate reservoirs, (Tech. Art.) JPT Mar., 276
effect of: bacteria on sandstone permeability, JPT July, 805
light-gasoline injection on oil recovery, JPT Nov., 1307
El Capitan source water system, (Tech. Art.) JPT Dec., 1351
field comparison of methods of evaluating remedial work on injection wells, (Tech. Art.) JPT Oct., 1121
fractured sandstone: case history of successful application, (Tech. Art.) JPT Nov., 1233
high water-cut Strawn sand reservoir, (Tech. Art.) JPT Aug., 845
Horseshoe-Gallup injection project, (Tech. Art.) JPT Oct., 1101
implosive shock treatment of injection wells, (Tech. Art.) JPT Feb., 128
influence of chemical composition of water on clay blocking of permeability, JPT Apr., 441
instability when flooding oil from water-wet porous media containing connate water, SPEJ June, 133
laboratory and field studies using polymer solutions to increase oil recoveries, JPT Aug., 917
McElroy field: pilot in a dolomite reservoir, (Tech. Art.) JPT Dec., 1345
Meadow Creek unit Lakota "B" combination water-miscible flood, (Tech. Art.) JPT Sept., 993
peripheral: successful in thin Pennsylvanian reservoir, (Tech. Art.) JPT Nov., 1238
practical engineering of corrosion control, (Tech. Art.) JPT June, 615
prediction of: behavior in a stratified system, SPEJ June, 149
performance for arbitrary well patterns and mobility ratios, JPT Jan., 95
pressure maintenance by fluid injection in North Pembina Cardium unit No. 1, (Tech. Art.) JPT Sept., 977
review of filtration, (Tech. Art.) JPT Nov., 1220
role of wettability and interfacial tension, SPEJ June, 115
significance of partial pressure maintenance by fluid injection, (Tech. Art.) JPT Jan., 20
use of: carbon dioxide for injectivity improvement, (Tech. Art.) JPT Jan., 25
fluid-fluid interfaces to predict behavior, SPEJ June, 171
vertical turbine vs positive-displacement pumps used in operations, (Tech. Art.) JPT Feb., 139
WATER INFLUX: determination of aquifer influence functions from field data, JPT Dec., 1417
linear aquifer behavior, JPT May, 561
WATER INJECTION: *See* Water Flooding
WATER TREATING: increasing injectivity of shaly sands with chemicals, (Tech. Art.) JPT Oct., 1107
WATERS, A. B. and HASSEBROEK, W. E.: *Advancements Through 15 Years of Fracturing*, (Tech. Art.) JPT July, 760
WATSON, R. E., et al: *Model Studies of the Inverted Nine-Spot Injection Pattern*, JPT July, 801
WATTENBARGER, R. A., et al: *A Successful Peripheral Water Flood in a Thin Pennsylvanian Reservoir*, (Tech. Art.) JPT Nov., 1238
WAYSIDE SAND: *See* Oklahoma
WELCH FIELD: *See* Texas
WELGE, H. J.: *Use of Two-Dimensional Methods for Calculating Well Coning Behavior*, SPEJ Dec., 345
WELL COMPLETION: *See also* Well Stimulation
engineering casing cementing programs using turbulent flow techniques (Tech. Art.) JPT May, 503
from floating platforms, (Tech. Art.) JPT June, 605
new method of unconsolidated sands—warm-air coking, (Tech. Art.) JPT Apr., 367
study of cement-pipe bonding, (Tech. Art.) JPT Feb., 157
WELL LOGGING: acoustic amplitude ratio logging, (Tech. Art.) JPT Nov., 1243
dual spacing formation density log, JPT Dec., 1411
effects of pressure and fluid saturation on attenuation of elastic waves in sands, JPT Feb., 189
experimentally determined resistivity profiles in invaded water and oil sands for linear flows, JPT Mar., 337
factors affecting the responses of Laterolog-type systems (LL3 and LL7), JPT Feb., 211
fluid travel log, (Tech. Art.) JPT Aug., 851
neutron lifetime, a new nuclear log, JPT Mar., 319
nuclear magnetism logging field results, (Tech. Art.) JPT Feb., 150
observation wells in gas storage, (Tech. Art.) JPT July, 745

progress report on cement bond, (Tech. Art.) JPT Oct., 1117
surface telemetry problem—a practical solution, (Tech. Art.) JPT May, 487
time-lapse: a valuable reservoir evaluation technique, (Tech. Art.) JPT Jan., 15
using compressional and shear acoustic amplitudes for location of fractures, (Tech. Art.) JPT June, 623

WELL LOGS: digital computer programming for automatic analysis, (Tech. Art.) JPT Jan., 35
field results of electromagnetic casing inspection log, (Tech. Art.) JPT Apr., 377

WELL PATTERN: aids to forecasting performance of water floods, JPT Sept., 1076
injection: model studies of inverted nine-spot, JPT July, 801
prediction of waterflood performance for arbitrary arrays, JPT Jan., 95

WELL PERFORMANCE: effect of proximity of permeable and impermeable lenses, SPEJ Dec., 285
evaluation of a stabilizer charged gas lift valve for multiple-phase flow using graphical techniques, JPT June, 683; discussion, JPT June, 698 and JPT Oct., 1187
standardization of gas well tests, (Tech. Art.) JPT Oct., 1113
use of two-dimensional methods for calculating coning behavior, SPEJ Dec., 345
water flooding a high water-cut Strawn sand reservoir, (Tech. Art.) JPT Aug., 845

WELL STIMULATION: advancements through 15 years of fracturing, (Tech. Art.) JPT July, 760
field and laboratory results of carbon dioxide and nitrogen, (Tech. Art.) JPT Mar., 244
friction pressure reducers, (Tech. Art.) JPT Aug., 865
implosive shock treatment of injection wells, (Tech. Art.) JPT Feb., 128
warm-air coking—new completion method for unconsolidated sands, (Tech. Art.) JPT Apr., 367

WELL WORKOVERS: *See* Workovers

WETTABILITY: role in water flooding, SPEJ June, 115

WETTING AGENT: reverse: effect of chromatographic transport in hexylamine on displacement of oil by water in porous media, SPEJ Sept., 231

WHITE, G. L.: *Friction Pressure Reducers in Well Stimulation*, (Tech. Art.) JPT Aug., 865

WHITE, G. W.: *Discussion on Evaluation of a Stabilizer Charged Gas Lift Valve for Multiple-Phase Flow Using Graphical Techniques*, JPT Oct., 1188

WHITTEMORE, E. P.: *Discussion on Evaluation of a Stabilizer Charged Gas Lift Valve for Multiple-Phase Flow Using Graphical Techniques*, JPT Oct., 1187

WICHITA-ALBANY SECTION: *See* Texas

WIESENTHAL, R.: *The Effect of Light-Gasoline Injection on Oil Recovery by Water Flooding*, JPT Nov., 1307

WILMINGTON FIELD: *See* California

WILSON, J. E.: *Selection of Management Personnel from Engineering Ranks*, (Tech. Art.) JPT Feb., 125

WINKLER, H. W.: *Discussion on Evaluation of a Stabilizer Charged Gas Lift Valve for Multiple-Phase Flow Using Graphical Techniques*, JPT June, 698

WOLFE, L. H. and THIEME, J. O.: *Physical and Thermal Properties of Frozen Soil and Ice*, SPEJ Mar., 67

WORKOVERS: field comparison of methods of evaluating remedial work on water injection wells, (Tech. Art.) JPT Oct., 1121
field results of stressed steel liner casing patch, (Tech. Art.) JPT Feb., 147

WYLLIE, M. R. J., et al: *Effects of Pressure and Fluid Saturation on the Attenuation of Elastic Waves in Sand*, JPT Feb., 189

WYOMING: Big Horn Basin fields: automation: several fields monitored from one point, (Tech. Art.) JPT Sept., 983
Meadow Creek unit Lakota "B" combination water-miscible flood, (Tech. Art.) JPT Sept., 993
Salt Creek field: case history of successfully water flooding a fractured sandstone, (Tech. Art.) JPT Nov., 1233
Second Wall Creek sand: time-lapse logging, a valuable reservoir evaluation technique, (Tech. Art.) JPT Jan., 15

Y

YARBOROUGH, J. G. and CHEATHAM, J. B., JR.: *Chip Removal by a Hydraulic Jet*, SPEJ Mar., 21

YATES SAND: *See* New Mexico and Texas

YOUMANS, A. H., et al: *Neutron Lifetime, a New Nuclear Log*, JPT Mar., 319

Editor's Note: For economy of space, the abbreviation "SPEJ" is used in this index. The official abbreviation for the publication is "Soc. Pet. Eng. Jour." and we urge that it be used in references instead of this more abbreviated form.